

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 9084
 Rec. Jan 17 1968
 Well No.
 Permit No.

Do not fill in

Owner Donnell Richards Driller W.L. McDonald

Address P.O. Box; Paradise Valley, Nev. Address 1715 Trabert Way; Sparks Lic. No. 494

Location of well: SE 1/4 NE 1/4 Sec. 14, T. 42N/8, R. 39E, in Humboldt County

or.....

Water will be used for irrigation purposes Total depth of well 20'

Size of drilled hole 16" diam. Weight of casing per linear foot 42.05 lbs.

Thickness of casing .250 wall Temp. of water --

Diameter and length of casing 16" O.D. in random lengths to 10'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure --

If nonflowing well give depth of standing water from surface --

If flowing well describe control works --
(Type and size of valve, etc.)

duplicate

Date of commencement of well 5 Jan., 1968 Date of completion of well --

Type of well rig Bucyrus Erie 22-W Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	6	6	Loamy topsoil- some rounded gravels to 1" mixed	Chief aquifer (water-bearing formation)
6	15	9	Fine to coarse sand w/ rounded gravels to 3" & some yellow clay in lenses- also approx. 3% cobbles to 10"	from <u>No water</u> toft.
15	20	5	Fine to coarse sand with yellow clay mixed with rounded gravels to 2 1/2"	Other aquifers.....ft.
				First water at.....feet.
				Casing perforated from <u>none</u> toft.
				Size of perforations <u>none</u>

