



COPIES TO  
 - DIVISION OF WATER RESOURCES  
 - CLIENT'S COPY  
 - WELL DRILLER'S COPY

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
 Log No. 101499 pg 2  
 Permit No. \_\_\_\_\_  
 Basin \_\_\_\_\_  
 NOTICE OF INTENT NO. 54794

PRINT OR TYPE ONLY

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

1. OWNER U.S.D.O.E. NV Ops office MV-3 ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS \_\_\_\_\_

Page 2 of 3

2. LOCATION 1/4 1/4 Sec T N R E County \_\_\_\_\_  
 PERMIT NO. \_\_\_\_\_

Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_  
 4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
 5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG				
Material	Water Strata	From	To	Thick-ness
<b>Construction Notes:</b>				
<b>Annulus of 30"</b>				
<b>Cemented</b>		<b>0</b>	<b>95</b>	
<b>Annulus of 20"</b>				
<b>Cemented</b>		<b>0</b>	<b>760</b>	
<b>Gravel pack</b>		<b>760</b>	<b>1000</b>	
<b>Pezo #1</b>				
<b>Cement</b>		<b>0</b>	<b>760</b>	
<b>Gravel pack</b>		<b>760</b>	<b>1000</b>	
<b>Cement</b>		<b>1000</b>	<b>1050</b>	
<b>Annulus of 13 3/8"</b>		<b>2165</b>	<b>2515</b>	
<b>Steel ring between 13 3/8 and 20" at surface</b>				
<b>Pezo #2</b>				
<b>Cement</b>		<b>0</b>	<b>3062</b>	
<b>Gravel</b>		<b>3062</b>	<b>3430</b>	
<b>Cement</b>		<b>3430</b>	<b>3647</b>	
<b>Pezo #3</b>				
<b>Annulus described in pezo #2 plus gravel</b>		<b>3647</b>	<b>4220</b>	

8. WELL CONSTRUCTION  
 Depth Drilled \_\_\_\_\_ Feet Depth Cased \_\_\_\_\_ Feet  
**HOLE DIAMETER (BIT SIZE)**  
 From \_\_\_\_\_ To \_\_\_\_\_  
12 1/4 Inches 2530 Feet 4220 Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<b>1: 2.375</b>	<b>5.02</b>	<b>.218</b>	<b>+1</b>	<b>880</b>
<b>1: 2.375</b>	<b>5.02</b>	<b>.218</b>	<b>940</b>	<b>960</b>
<b>2: 2.375</b>	<b>5.02</b>	<b>.218</b>	<b>+1</b>	<b>3300</b>

Perforations:  
 Type perforation **Slot**  
 Size perforation **.080**  
 From **1: 880** feet to **940** feet  
 From **2: 3300** feet to **3420** feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Depth of Seal \_\_\_\_\_  Neat Cement  
 Placement Method:  Pumped  Cement Grout  
 Poured  Concrete Grout  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level \_\_\_\_\_ feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Date started \_\_\_\_\_, 20\_\_\_\_  
 Date completed \_\_\_\_\_, 20\_\_\_\_

7. WELL TEST DATE

TEST METHOD:	Draw Down (Feet Below Static)		
	G.P.M.	<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	Time (Hours)

Name \_\_\_\_\_ (CONTRACTOR)  
 Address \_\_\_\_\_ (CONTRACTOR)  
 Nevada contractor's license number issued by the State Contractor's Board \_\_\_\_\_  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller \_\_\_\_\_  
 Signed \_\_\_\_\_  
 Date \_\_\_\_\_  
 By driller performing actual drilling on site or contractor

