



STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY  
Log No. 102636  
Permit No. \_\_\_\_\_  
Basin 028

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 58337

1 OWNER Hecla Mining Co. ADDRESS AT WELL LOCATION 55 Miles North of Lovelock  
MAILING ADDRESS P.O. Box 2610-Winnemucca, NV 89446 Rosebud Mine  
Subdivision Name: \_\_\_\_\_ County: Pershing

2 LOCATION SE 1/4 SW 1/4 Sec 19 T 34N N/S R 29 E Latitude 40 47 622 UTM E  NAD 27  
PERMIT/WAIVER No. M/D 462-C Longitude 118 46 207 N  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? No Is there an existing well log? Yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? 46428

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 30 Feet Depth Cased 30 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>5 9/16</u>		<u>SCH-80</u>	<u>0</u>	<u>20</u>
		<u>PVC</u>		

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations: \_\_\_\_\_  
Type of perforater used: None Used

From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot

Existing Perforations:

Type of perforation	Screen PVC
Size of perforation	0.02
From	20 feet to 30 feet
From	feet to feet
From	feet to feet
From	feet to feet
From	feet to feet

5 WATER LEVEL  
Static water level 29 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From	0	30	Neat Cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Well # MW-9  
Blew well dry  
Poured 5 sacks Portland  
Mixed with 25 gal water  
Removed monument

N40.793601  
W118.27115 NAD83

61:2 114 81 104 9807

Neat Cement Fluid Weight 16 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 10/3/2006  
Date Completed 10/3/2006

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Hydro Resources Nevada, Inc. dba Humboldt Drilling & Pump Contractor  
Address 4975 W. Winnemucca Blvd. Winnemucca, NV 89445 Contractor  
Nevada contractor's license number issued by the State Contractor's Board 56797  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2099  
Signed Rudi Seals, Office By driller performing actual drilling on site or contractor  
Date 10/10/06