

MW-1

WHITE-DIVISION OF WATER RESOURCES
CANARY-CLIENT'S COPY
PINK-WELL DRILLER'S COPY

STATE OF NEVADA

DIVISION OF WATER RESOURCES

OFFICE USE ONLY

Log No. 103120

Permit No.

Basin 631

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK



WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 56923

1. OWNER Golden Associates, Inc. ADDRESS AT WELL LOCATION 389350E 4530900N
MAILING ADDRESS 2580 Wyandotte St, Ste G UTM, NAD 27

2. LOCATION NW 1/4 NW 1/4 Sec 7 T 35 S R 33 E Humboldt County
PERMIT NO. m o / 1433 Issued by Water Resources Parcel No. 05-411-09 Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other
4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
5. WELL TYPE
 Cable Rotary RVC
 Air Other USA

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
<u>silty sand / yellowish</u>		<u>0</u>	<u>15</u>	<u>15'</u>
<u>clayey silt / light brown</u>		<u>15</u>	<u>18</u>	<u>3'</u>
<u>silty sand / yellowish</u>		<u>18</u>	<u>25</u>	<u>7'</u>
<u>clayey silt / light brown</u>		<u>25</u>	<u>31</u>	<u>6'</u>
<u>silty sand / yellowish</u>		<u>31</u>	<u>33</u>	<u>2'</u>
<u>clayey silt / light brown</u>		<u>33</u>	<u>38</u>	<u>5'</u>
<u>silty sand / yellow</u>		<u>38</u>	<u>44</u>	<u>6'</u>
<u>clayey silt / green brown</u>		<u>44</u>	<u>50</u>	<u>6'</u>
<u>silty sand / brown</u>		<u>50</u>	<u>54</u>	<u>4'</u>
<u>clayey silt / brown</u>		<u>54</u>	<u>60</u>	<u>6'</u>
<u>silty sand / tan</u>		<u>60</u>	<u>63</u>	<u>3'</u>
<u>sand / brown</u>	<u>well</u>	<u>63</u>	<u>73</u>	<u>10'</u>
<u>silty clay / green</u>		<u>73</u>	<u>93</u>	<u>20'</u>
<u>silty sand / dark gray</u>		<u>93</u>	<u>102</u>	<u>9'</u>

N40.923640
W118.314104 NAD 97

8. WELL CONSTRUCTION
Depth Drilled 102' Feet Depth Cased 79.5 Feet
HOLE DIAMETER (BIT SIZE)
From 8 Inches To 102 Feet
Inches Feet Feet Feet
Inches Feet Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2"</u>		<u>SCH 40</u>	<u>0+3'</u>	<u>59.5</u>

Perforations:
Type perforation factory slot
Size perforation .020
From 59.5 feet to 79.5 feet
From feet to feet
From feet to feet
From feet to feet

Surface Seal: Yes No Seal Type:
Depth of Seal 52 1/2 chip 52 1/2 - 57 1/2 Neat Cement
Placement Method: Pumped poured beneath chips from 80' - 102' Cement Grout
 Poured Concrete Grout
Gravel Packed: Yes No
From 57.5 feet to 80' feet

9. WATER LEVEL
Static water level 60.3 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature 58.5 °F Quality _____

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Haz Tech Drilling Contractor
Address P.O. 940 Minden Rd 83680 Contractor

Nevada contractor's license number issued by the State Contractor's Board 0038018
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M-2312
Signed [Signature]
By driller performing actual drilling on site or contractor
Date 3-2-07

Date started 1-10-07 20.07
Date completed 1-11-07 20.07

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

G.P.M.	Draw Down (feet)	Time (Hours)
<u>2007 MAR 23 11:32 AM</u>	<u>30 min</u>	

RECEIVED