

N 39.698325  
W 17.076817

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY  
Log No. 103195  
Permit No. \_\_\_\_\_  
Basin 132.B

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

NAD 27

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 58862

1. OWNER Round Mountain Gold DW-36 ADDRESS AT WELL LOCATION Round Mountain minesite  
MAILING ADDRESS PO Box 480  
Round Mountain, NV. 89045 Round Mountain, NV.  
Subdivision Name: N/A County: Nye

2. LOCATION SE 1/4 NE 1/4 Sec 30 T10 / R44E Latitude 38° 41' 53.97" N UTM E  NAD 27  
PERMIT/WAIVER NO. R-539 Parcel No. N/A Longitude 117° 4' 36.54" W N  NAD 83/WGS 84  
*Issued by Water Resources*

3. TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled?  Yes  No  
If yes, what is replacement well NOI? 58860  
Is there an existing well log?  Yes  No  
If yes, what is NDWR well log #? NOI 50842

4. EXISTING WELL CONSTRUCTION  
Depth Drilled 1105 Feet Depth Cased 1100 Feet  
EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
20	52.73	0.250	0	60
10.750	40.48	0.365	+2.5	1100

Existing Perforations:  
Type of perforation Wire Wrap  
Size of perforation 0.080"

From <u>700</u> feet to <u>1100</u> feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

5. WATER LEVEL  
Static water level: 103 feet below land surface  
Artesian flow: N/A G.P.M. N/A P.S.I.  
Water Temperature: \_\_\_\_\_ °F Quality \_\_\_\_\_

6. Additional Notes or Comments  
**Well casing separated at 130', pinching 4" pump column in place.**  
**4" pump column was blasted off at check valve at 500' and was pulled out.**  
**Trimie pipe was run to 1100' and neat cement was pumped to 120'.**  
**Well was perforated from 120' to surface, and neat cement pumped from 120' to surface.**  
Materials used:  
Neat cement: 24 cu. yards.

7. WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  Yes  No  
If well was not cleaned out to total depth, please explain why:  
Was the well contaminated?  Yes  No  
Was the casing pulled?  Yes  No  
Was the casing over drilled?  Yes  No  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforater used: Holte

From <u>0</u> feet to <u>120</u> feet	Number of perfs per linear foot <u>30</u>
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____
From _____ feet to _____ feet	Number of perfs per linear foot _____

8. WELL PLUGGING MATERIALS  
Material Used  
neat cement  
From 0 feet to 1100 feet  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured  
Neat Cement Fluid Weight 15.6 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 03/22/07  
Date Completed 03/25/07

9. DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Lang Exploratory Drilling (CONTRACTOR)  
Address PO Box 5279 (CONTRACTOR)  
Elko, NV. 89801  
Nevada contractor's license number issued by the State Contractor's Board 0021976  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1995  
Signed [Signature] 4:18:07  
By driller performing actual drilling on site or contractor

STATE ENGINEERS OFFICE  
2007 APR 23 AM 11:18  
RECEIVED

aw