

STATE OF NEVADA DIVISION OF WATER RESOURCES WELL DRILLER'S REPORT						OFFICE USE ONLY																																																																																																																																																																																																																																																									
						Log No.	103326																																																																																																																																																																																																																																																								
						Permit No.																																																																																																																																																																																																																																																									
						Basin	212																																																																																																																																																																																																																																																								
PRINT OR TYPE ONLY						Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340																																																																																																																																																																																																																																																									
DO NOT WRITE ON BACK						NOTICE OF INTENT NO. 31424																																																																																																																																																																																																																																																									
1. OWNER Clark County Aviation			ADDRESS AT WELL LOCATION McCarren Airport Terminal 3																																																																																																																																																																																																																																																												
MAILING ADDRESS P.O. Box 11005 Las Vegas, Nv			5757 Wanye Newton Boulevard, Las Vegas, NV																																																																																																																																																																																																																																																												
			Subdivision Name:		County: CLARK																																																																																																																																																																																																																																																										
2. LOCATION NE 1/4 NE 1/4 Sec 34 T 21 S R 61 E		Latitude		UTM E		NAD 27																																																																																																																																																																																																																																																									
PERMIT/WAIVER No. DW-1243A 162-34-502-010		Longitude		N		x NAD 83/WGS 84																																																																																																																																																																																																																																																									
Issued by Water Resources		Parcel No.																																																																																																																																																																																																																																																													
3. WORKED PERFORMED			4. PROPOSED USE <u>Dewater</u>			5. WELL TYPE																																																																																																																																																																																																																																																									
<input checked="" type="checkbox"/> New Well <input type="checkbox"/> Replace <input type="checkbox"/> Recondition <input checked="" type="checkbox"/> Deepen <input checked="" type="checkbox"/> Other Dewatering Well			<input type="checkbox"/> Domestic <input type="checkbox"/> Irrigation <input type="checkbox"/> Test <input type="checkbox"/> Stock <input type="checkbox"/> Municipal/Industrial <input type="checkbox"/> Monitor			<input type="checkbox"/> Cable <input type="checkbox"/> Rotary <input checked="" type="checkbox"/> Other <input type="checkbox"/> RVC <input type="checkbox"/> Auger Bucket																																																																																																																																																																																																																																																									
6. LITHOLOGIC LOG						9. WELL CONSTRUCTION																																																																																																																																																																																																																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Material</th> <th>Water Strata</th> <th>From</th> <th>To</th> <th>Thick-ness</th> </tr> </thead> <tbody> <tr> <td colspan="5">Well # 7454</td> </tr> <tr> <td colspan="5">N486499.5 E631363</td> </tr> <tr> <td>Clayey Gravel</td> <td></td> <td>0</td> <td>3</td> <td></td> </tr> <tr> <td>Caliche - white/hard</td> <td></td> <td>3</td> <td>6</td> <td></td> </tr> <tr> <td>Fat Clay-with sand, gravel</td> <td></td> <td>6</td> <td>18</td> <td></td> </tr> <tr> <td>Silty Clayey Sand - red, brown</td> <td></td> <td>18</td> <td>21</td> <td></td> </tr> <tr> <td>Clayey Gravel, cemented lenses</td> <td></td> <td>21</td> <td>34</td> <td></td> </tr> <tr> <td>Sandy Fat Clay, brown to tan</td> <td></td> <td>34</td> <td>47</td> <td></td> </tr> <tr> <td>Caliche - moderate cemented</td> <td></td> <td>47</td> <td>49</td> <td></td> </tr> <tr> <td>Caliche - hard</td> <td></td> <td>49</td> <td>51</td> <td></td> </tr> <tr> <td colspan="5">Well #7455</td> </tr> <tr> <td colspan="5">N486499.4 E631263</td> </tr> <tr> <td>Clayey Gravel</td> <td></td> <td>0</td> <td>3</td> <td></td> </tr> <tr> <td>Caliche - white/hard</td> <td></td> <td>3</td> <td>6</td> <td></td> </tr> <tr> <td>Fat Clay-with sand, gravel</td> <td></td> <td>6</td> <td>18</td> <td></td> </tr> <tr> <td>Caliche - white/hard</td> <td></td> <td>18</td> <td>21</td> <td></td> </tr> <tr> <td>Clayey Gravel, cemented lenses</td> <td></td> <td>21</td> <td>34</td> <td></td> </tr> <tr> <td>Sandy Fat Clay, brown to tan</td> <td></td> <td>34</td> <td>47</td> <td></td> </tr> <tr> <td>Caliche - moderate cemented</td> <td></td> <td>47</td> <td>49</td> <td></td> </tr> <tr> <td>Caliche - hard</td> <td></td> <td>49</td> <td>51</td> <td></td> </tr> </tbody> </table>						Material	Water Strata	From	To	Thick-ness	Well # 7454					N486499.5 E631363					Clayey Gravel		0	3		Caliche - white/hard		3	6		Fat Clay-with sand, gravel		6	18		Silty Clayey Sand - red, brown		18	21		Clayey Gravel, cemented lenses		21	34		Sandy Fat Clay, brown to tan		34	47		Caliche - moderate cemented		47	49		Caliche - hard		49	51		Well #7455					N486499.4 E631263					Clayey Gravel		0	3		Caliche - white/hard		3	6		Fat Clay-with sand, gravel		6	18		Caliche - white/hard		18	21		Clayey Gravel, cemented lenses		21	34		Sandy Fat Clay, brown to tan		34	47		Caliche - moderate cemented		47	49		Caliche - hard		49	51		<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Depth Drilled</th> <th>51'</th> <th>Feet</th> <th>Depth Cased</th> <th>50'</th> <th>Feet</th> </tr> </thead> <tbody> <tr> <td colspan="6" style="text-align: center;">HOLE DIAMETER (BIT SIZE)</td> </tr> <tr> <td colspan="2">24"</td> <td>Inches</td> <td colspan="2">surface</td> <td>Feet</td> </tr> <tr> <td colspan="2"></td> <td>Inches</td> <td colspan="2"></td> <td>Feet</td> </tr> <tr> <td colspan="2"></td> <td>Inches</td> <td colspan="2"></td> <td>Feet</td> </tr> <tr> <td colspan="6" style="text-align: center;">CASING SCHEDULE</td> </tr> <tr> <th>Size O.D. (Inches)</th> <th>Weight/Ft. (Pounds)</th> <th>Wall Thickness (Inches)</th> <th>From (Feet)</th> <th>To (Feet)</th> </tr> <tr> <td>6.5</td> <td>3.6</td> <td>.280</td> <td>0</td> <td>20</td> </tr> <tr> <td colspan="6" style="text-align: center;">Perforations:</td> </tr> <tr> <td colspan="2">Type of perforation</td> <td colspan="4">machine slot</td> </tr> <tr> <td colspan="2">Size of perforation</td> <td colspan="4">.032"</td> </tr> <tr> <td>From</td> <td>20</td> <td>feet to</td> <td>50</td> <td>feet</td> </tr> <tr> <td>From</td> <td></td> <td>feet to</td> <td></td> <td>feet</td> </tr> <tr> <td colspan="6" style="text-align: center;">Annular Seal:</td> </tr> <tr> <td colspan="2">Neat Cement</td> <td>to</td> <td></td> <td>Pumped</td> <td>Poured</td> </tr> <tr> <td colspan="2">Cement Grout</td> <td>to</td> <td></td> <td>Pumped</td> <td>Poured</td> </tr> <tr> <td colspan="2">Concrete Grout</td> <td>to</td> <td></td> <td>Pumped</td> <td>Poured</td> </tr> <tr> <td colspan="2">≥30% Bentonite Grout</td> <td>to</td> <td></td> <td>Pumped</td> <td>Poured</td> </tr> <tr> <td>Gravel Pack:</td> <td>X Yes</td> <td>No</td> <td>to</td> <td>Pumped</td> <td>X Poured</td> </tr> <tr> <td colspan="6" style="text-align: center;">Type: pea gravel</td> </tr> <tr> <td>Bentonite Chips:</td> <td>Yes X</td> <td>No</td> <td>to</td> <td>Pumped</td> <td>Poured</td> </tr> <tr> <td colspan="6" style="text-align: center;">Type:</td> </tr> </tbody> </table>		Depth Drilled	51'	Feet	Depth Cased	50'	Feet	HOLE DIAMETER (BIT SIZE)						24"		Inches	surface		Feet			Inches			Feet			Inches			Feet	CASING SCHEDULE						Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)	6.5	3.6	.280	0	20	Perforations:						Type of perforation		machine slot				Size of perforation		.032"				From	20	feet to	50	feet	From		feet to		feet	From		feet to		feet	From		feet to		feet	From		feet to		feet	Annular Seal:						Neat Cement		to		Pumped	Poured	Cement Grout		to		Pumped	Poured	Concrete Grout		to		Pumped	Poured	≥30% Bentonite Grout		to		Pumped	Poured	Gravel Pack:	X Yes	No	to	Pumped	X Poured	Type: pea gravel						Bentonite Chips:	Yes X	No	to	Pumped	Poured	Type:					
Material	Water Strata	From	To	Thick-ness																																																																																																																																																																																																																																																											
Well # 7454																																																																																																																																																																																																																																																															
N486499.5 E631363																																																																																																																																																																																																																																																															
Clayey Gravel		0	3																																																																																																																																																																																																																																																												
Caliche - white/hard		3	6																																																																																																																																																																																																																																																												
Fat Clay-with sand, gravel		6	18																																																																																																																																																																																																																																																												
Silty Clayey Sand - red, brown		18	21																																																																																																																																																																																																																																																												
Clayey Gravel, cemented lenses		21	34																																																																																																																																																																																																																																																												
Sandy Fat Clay, brown to tan		34	47																																																																																																																																																																																																																																																												
Caliche - moderate cemented		47	49																																																																																																																																																																																																																																																												
Caliche - hard		49	51																																																																																																																																																																																																																																																												
Well #7455																																																																																																																																																																																																																																																															
N486499.4 E631263																																																																																																																																																																																																																																																															
Clayey Gravel		0	3																																																																																																																																																																																																																																																												
Caliche - white/hard		3	6																																																																																																																																																																																																																																																												
Fat Clay-with sand, gravel		6	18																																																																																																																																																																																																																																																												
Caliche - white/hard		18	21																																																																																																																																																																																																																																																												
Clayey Gravel, cemented lenses		21	34																																																																																																																																																																																																																																																												
Sandy Fat Clay, brown to tan		34	47																																																																																																																																																																																																																																																												
Caliche - moderate cemented		47	49																																																																																																																																																																																																																																																												
Caliche - hard		49	51																																																																																																																																																																																																																																																												
Depth Drilled	51'	Feet	Depth Cased	50'	Feet																																																																																																																																																																																																																																																										
HOLE DIAMETER (BIT SIZE)																																																																																																																																																																																																																																																															
24"		Inches	surface		Feet																																																																																																																																																																																																																																																										
		Inches			Feet																																																																																																																																																																																																																																																										
		Inches			Feet																																																																																																																																																																																																																																																										
CASING SCHEDULE																																																																																																																																																																																																																																																															
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)																																																																																																																																																																																																																																																											
6.5	3.6	.280	0	20																																																																																																																																																																																																																																																											
Perforations:																																																																																																																																																																																																																																																															
Type of perforation		machine slot																																																																																																																																																																																																																																																													
Size of perforation		.032"																																																																																																																																																																																																																																																													
From	20	feet to	50	feet																																																																																																																																																																																																																																																											
From		feet to		feet																																																																																																																																																																																																																																																											
From		feet to		feet																																																																																																																																																																																																																																																											
From		feet to		feet																																																																																																																																																																																																																																																											
From		feet to		feet																																																																																																																																																																																																																																																											
Annular Seal:																																																																																																																																																																																																																																																															
Neat Cement		to		Pumped	Poured																																																																																																																																																																																																																																																										
Cement Grout		to		Pumped	Poured																																																																																																																																																																																																																																																										
Concrete Grout		to		Pumped	Poured																																																																																																																																																																																																																																																										
≥30% Bentonite Grout		to		Pumped	Poured																																																																																																																																																																																																																																																										
Gravel Pack:	X Yes	No	to	Pumped	X Poured																																																																																																																																																																																																																																																										
Type: pea gravel																																																																																																																																																																																																																																																															
Bentonite Chips:	Yes X	No	to	Pumped	Poured																																																																																																																																																																																																																																																										
Type:																																																																																																																																																																																																																																																															
Date started: 23-Jun 20 07						Date completed: 6/23/2007 20 07																																																																																																																																																																																																																																																									
7. Water Level						10. DRILLER'S CERTIFICATION																																																																																																																																																																																																																																																									
Static water level: 25' feet below land surface						This well was drilled under my supervision and the report is true to the best of my knowledge.																																																																																																																																																																																																																																																									
Artesian Flow: G.P.M. P.S.I.						Name Griffin Dewatering Corp																																																																																																																																																																																																																																																									
Water Temperature: °F						Address 536 E. Maitland Street																																																																																																																																																																																																																																																									
Quality:						Contractor																																																																																																																																																																																																																																																									
8. WELL TEST DATA						Ontario, Ca 91761																																																																																																																																																																																																																																																									
TEST METHOD: Bailer x Pump Air Lift						Nevada contractor's license number																																																																																																																																																																																																																																																									
G.P.M. Draw Down (Feet Below Static) Time (Hours)						issued by the State Contractor's Board C-23 0031246																																																																																																																																																																																																																																																									
						Nevada driller's license number issued by the																																																																																																																																																																																																																																																									
						Division of Water Resources, the on-site driller M-2264																																																																																																																																																																																																																																																									
						Signed <i>David R. Decker</i>																																																																																																																																																																																																																																																									
						By driller performing actual drilling on site or contractor																																																																																																																																																																																																																																																									
						Date June 25, 2007																																																																																																																																																																																																																																																									

DIVISION OF WATER RESOURCES  
 OFFICE  
 JUL 1 2007  
 LAS VEGAS, NEVADA