


M/O 384309-1

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT



OFFICE USE ONLY  
Log No. 104708

Permit No. \_\_\_\_\_  
Basin 666

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 59804

1 OWNER NEWMONT Gold Corp.  
MAILING ADDRESS P.O. Box 388 VALM., NEV. 89438

ADDRESS AT WELL LOCATION TWIN CREEKS MINE  
Subdivision Name: \_\_\_\_\_ County: HUMBOLDT

2 LOCATION NW 1/4 Sec 9 T 38 R 43 E  
PERMIT/WAIVER No. M/O-193-H  
Issued by Water Resources Parcel No.

Latitude 41.196310 UTM E 488237891145 NAD 27  
Longitude 117.190256 N 4560347.731441 NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? NO  
If yes, what is replacement well NO? \_\_\_\_\_

Is there an existing well log? YES  
If yes, what is NDWR well log #? 55081

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 150 Feet Depth Cased 150 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4.5		.250	0	150

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used:

Existing Perforations:

Type of perforation	Size of perforation	From	feet to	feet
<u>Slot</u>	<u>.020</u>	<u>90</u>	<u>150</u>	<u>feet</u>

From	feet to	feet	Number of perfs per linear foot

5 WATER LEVEL  
Static water level 90 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments  
22 Bags of CEMENT WERE USED TO ABANDON WELL. CEMENT WAS PUMPED THROUGH TRIMMY PIPE TO SURFACE. WEIGHT WAS 15.4 lbs per gal. TOTAL VOLUME PUMPED WAS 220 gals.

From	feet to	feet	Material Used	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<u>0</u>	<u>150</u>	<u>feet</u>	<u>CEMENT</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight 15.4 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite

Date Started 5-30-07  
Date Completed 5-30-07

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name EKLUND Drilling Co  
Contractor

Address 70 Box 2748  
Contractor

ELKO NEVADA 89803

Nevada contractor's license number issued by the State Contractor's Board 30823

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1777

Signed Armenis L. White  
By driller performing actual drilling on site or contractor

Date 5/30/07

RECEIVED