


STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT



OFFICE USE ONLY

Log No. 106250

Permit No. _____

Basin 105 pg1

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 45318

1. OWNER A&A Construction
MAILING ADDRESS 1700 Zeroline Rd.
NW Minden, NV 89706

ADDRESS AT WELL LOCATION Public Righth of Way On Zeroline Rd.
Subdivision Name: The Ranch @ Gardnerville County: Douglas

2. LOCATION N 1/4 NE 1/4 Sec 32 T 13N N/S R 20 E
PERMIT/WAIVER No. DEW-74 132032501017
Issued by Water Resources Parcel No. _____

Latitude _____ UTM E NAD 27
Longitude _____ N see attached NAD 83/WGS 84

3. WORKED PERFORMED
 New Well Replace Recondition
 Deepen Other

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG				
Material	Water Strata	From	To	Thick-ness
<u>Well 6</u>				
<u>see attached</u>				
<u>Well Logs</u>				
<u>Well #1 N 38.951792</u>				
<u>W 119.755514 N#27</u>				
<u>Well #2 N 38.951787</u>				
<u>W 119.755741</u>				
<u>Well #3 N 38.951788</u>				
<u>W 119.757166</u>				
<u>Well #4 N 38.951785</u>				
<u>W 119.757485</u>				
<u>Well #5 N 38.951634</u>				
<u>W 119.758605</u>				
<u>Well #6 N 38.951645</u>				
<u>W 119.757483</u>				
<u>Well #8 N 38.951653</u>				
<u>W 119.755645</u>				

9. WELL CONSTRUCTION			
Depth Drilled	Feet	Depth Cased	Feet
<u>20</u>		<u>20</u>	

HOLE DIAMETER (BIT SIZE)			
From	To	From	To
<u>24</u> Inches	<u>0</u> Feet	<u>20</u> Feet	<u>20</u> Feet
_____ Inches	_____ Feet	_____ Feet	_____ Feet
_____ Inches	_____ Feet	_____ Feet	_____ Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>8</u>	<u>6</u>	<u>3/8</u>	<u>0</u>	<u>20</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Perforations:	
Type of perforation	<u>hand slot</u>
Size of perforation	<u>0.25</u>
From <u>10</u> feet to <u>20</u> feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	

Annular Seal: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
<input type="checkbox"/> Neat Cement	to _____	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
<input type="checkbox"/> Cement Grout	to _____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<input type="checkbox"/> Concrete Grout	to _____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<input checked="" type="checkbox"/> ≥30% Bentonite Grout	<u>10</u> to <u>20</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Gravel Pack: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>12</u> to <u>20</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Type: _____			
Bentonite Chips: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>10</u> to <u>12</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Type: _____	<u>3/8 chips</u>		

Date started: 17-Mar, 20
Date completed: 3/18/2008, 20

7. Water Level
Static water level: 12 feet below land surface
Artesian Flow: _____ G.P.M. _____ P.S.I.
Water Temperature: _____ °F
Quality: _____

8. WELL TEST DATA			
TEST METHOD: <input type="checkbox"/> Bailor <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Viking Drillers Inc. Contractor
Address 801 Northport Dr. Contractor
West Sacramento, CA 95691
Nevada contractor's license number 0034680
issued by the State Contractor's Board
Nevada driller's license number issued by the M-2091
Division of Water Resources, the on-site driller
Signed _____
By driller performing actual drilling on site or contractor
Date 3/21/2008

(Rev. 05/08) Well #9 N 38.951661
W 119.755444 N#27


USE ADDITIONAL SHEETS IF NECESSARY

THIS BORING LOG IS FOR VIKING'S INTERNAL PURPOSES ONLY. IT DOES NOT REPRESENT INFORMATION PROVIDED BY A SOILS ENGINEER.

LOG FOR BORING NO. 5, 6		JOB NAME: A & A			
DATE STARTED 3-18-08	DATE COMPLETED	LOGGED BY Ed	DRILLED BY Ed	TYPE OF DRILL RIG # 31	JOB NO. 1045
DEPTH OF HOLE 20'	DIAMETER OF HOLE 24"	CASING 8"	PERFORATIONS 20'	SAMPLING METHOD	ELEVATION
LOCATION				DRILLERS NOTES: Contractor made made hand shot casing.	
DEPTH	SAMPLES	GRAPHIC	DESCRIPTION		
10'			silty sandy clay silty sandy cobble		
20'			sandy gravel and rock		
30'					
40'					
50'					
60'					
70'					
80'					
90'					
100'					

LG

2003 MAR 25 09:21 AM



R O Anderson
 508 BETHLEHEM AVENUE / POST OFFICE BOX 2229
 PRINCETON, NEVADA 89428
 PHONE: (775) 782-3822 / FAX: (775) 782-7084
 WEB SITE: WWW.ROANDERSON.COM