

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY

Log No. 106567  
Permit No. \_\_\_\_\_  
Basin Ø65

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 61375

1 OWNER Newmont Mining Corp.  
MAILING ADDRESS PO Box 388  
Valmy, NV 89438

ADDRESS AT WELL LOCATION Lone Tree Mine  
Hole #VVV-19  
Subdivision Name: \_\_\_\_\_ County: Humboldt

2 LOCATION SE ¼ NE ¼ Sec 11 T 34N N/S R 42 E  
PERMIT/WAIVER No. 59245  
Issued by Water Resources Parcel No. \_\_\_\_\_

Latitude 40.837650 UTM E 482650  NAD 27  
Longitude 117.205789 N 4520547  NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal  Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? No  
If yes, what is replacement well NO? \_\_\_\_\_

Is there an existing well log? Yes  
If yes, what is NDWR well log #? 67458

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 1235 Feet Depth Cased 1231 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
40	160	3/8	0	55
24	94	3/8	+2	587

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations: \_\_\_\_\_

Existing Perforations:

Type of perforation	Size of perforation	From	To
Louvered			

Type of perforator used: Star Perforator

From	To	Number of perfs per linear foot
50	587	60
587	1231	20

5 WATER LEVEL  
Static water level 460 feet below land surface  
Artesian flow No G.P.M. N/A P.S.I.  
Water temperature Warm °F Quality Good

8 WELL PLUGGING MATERIALS

From	To	Material Used	Method
1231	100	Super Plug	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
100	20	Hole Plug 3/4	<input type="checkbox"/> Pumped <input checked="" type="checkbox"/> Poured
20	0	Cement	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

6 Additional Notes or Comments  
Super Plug 1680 50 lb Bags  
Hole Plug Coarse Super Sack 50  
Cement 55 94lb Bags

Neat Cement Fluid Weight 15.5 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 6/14/2008  
Date Completed 6/18/2008

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eklund Drilling Company, Inc. Contractor  
Address PO Box 2748 Contractor  
Elko, NV 89803  
Nevada contractor's license number issued by the State Contractor's Board 0030823  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1777  
Signed Dennis L. White (signature)  
By driller performing actual drilling on site or contractor  
Date 6/18/2008

STATE ENGINEERS OFFICE  
2008 JUN 25 AM 11:49

USE ADDITIONAL SHEETS IF NECESSARY

RECEIVED