

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY 107213
Log No.
Permit No.
Basin da

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **63047**

1. OWNER **Barrick Goldstrike Mines** **BW-16** ADDRESS AT WELL LOCATION **Barrick Goldstrike Mine, north of Carlin, NV**
MAILING ADDRESS **P.O. Box 29**
Elko, NV 89803 Subdivision Name: **NA** County: **Eureka**

2. LOCATION **SE¼SW¼ Sec24T36N/ R49E** Latitude **40.977695** UTM E **551700** NAD 27
PERMIT/WAIVER NO. **55139** **NA** Longitude **116.385492** N **4536251** NAD 83/WGS 84
Issued by Water Resources Parcel No.

3. TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? Yes No
If yes, what is replacement well NOI?
Is there an existing well log? Yes No
If yes, what is NDWR well log #? **37131**
44753

4. EXISTING WELL CONSTRUCTION
Depth Drilled **2187** Feet Depth Cased **2187** Feet
EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
20.00	78.60	.375	1039	1605
16.00	54.45	.3125	1586	2187

7. WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? Yes No
If well was not cleaned out to total depth, please explain why:
Was the well contaminated? Yes No
Was the casing pulled? Yes No
Was the casing over drilled? Yes No
If casing was left in place, please show where additional perforations were made:
Additional Perforations:
Type of perforator used: **NA**

From	feet to	feet	Number of perfs per linear foot

Existing Perforations:
Type of perforation **Full Flo Louvered**
Size of perforation **.125**

From	feet to	feet
1039	2187	

5. WATER LEVEL
Static water level: **1086** feet below land surface
Artesian flow: _____ G.P.M. _____ P.S.I.
Water Temperature: _____ °F Quality _____

8. WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
1039	1160		Cement		
1160	2187		Abant.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

6. Additional Notes or Comments
NOTES:
Well was mined off to 1039'; therefore the collar of this well begins @ 1039'.

Materials Used:
3/8 Hole Plug 2367 cu.ft.
Abantonite 1663 cu.ft.
Neat Cement 432 cu.ft.

Hole Plug was poured while pumping abantonite.

Neat Cement Fluid Weight **15.6** lbs/gal
Bentonite Grout **15.4** % bentonite
Date Started **16-Sep-08**
Date Completed **22-Sep-08**

9. DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name **Boart Longyear Drilling Services** (CONTRACTOR)
Address **P.O. Box 5279** (CONTRACTOR)
Elko, NV 89802
Nevada contractor's license number issued by the State Contractor's Board **0021976**
Nevada driller's license number issued by the Division of Water Resources the on-site driller **1959**
Signed _____
By driller performing actual drilling on site or contractor
Date **25-Sep-08**

2008 SEP 29 PM 1:30

(Rev 05-06)

USE ADDITIONAL SHEETS IF NECESSARY