STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 107625
Permit No.
Basin 066 pgl

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 62277

1. OWNER Pinson Mining Company
MAILING ADDRESS HC Box 66, Golconda, Nv. 89414

ADDRESS AT WELL LOCATION Pinson Mine, Golconda, Nevada
Subdivision Name: County: Humboldt

2. LOCATION SE ¼ SE ¼ Sec 29 T 38N N/S R 42 E
PERMIT/WAIVER No. 65630 (Issued by Water Resources) Parcel No.

Latitude ~~N41° 13' 01.6"~~ Longitude ~~117° 25' 92.5"~~
UTM E 478241 N 4553691 [x] NAD 27 [ ] NAD 83/WGS 84

3. WORKED PERFORMED
[x] New Well [ ] Replace [ ] Recondition [ ] Deepen [ ] Other

4. PROPOSED USE
[ ] Domestic [ ] Irrigation [ ] Test [x] Municipal/Industrial [ ] Monitor [ ] Stock

5. WELL TYPE
[ ] Cable [ ] Rotary [x] RVC [ ] Air [ ] Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Shot rock Limestone		0	20	20
Shot rock Limestone		20	40	20
Limestone HD 5% quartz		40	430	390
Limestone HD 10% quartz		430	540	110
Limestone HD 5% quartz		540	700	160
Limestone HD 10% quartz		700	942	242
Scarned Limestone				

N 41.136146
W 117.259250 NAD27

Date started: 6-29, 20 08
Date completed: 10-22, 20 08

9. WELL CONSTRUCTION
Depth Drilled 942 Feet Depth Cased 920 ~~900~~ Feet

HOLE DIAMETER (BIT SIZE)

		From		To	
38	Inches	0	Feet	50	Feet
28	Inches	50	Feet	940	Feet
	Inches		Feet		Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
32		.250	0	50
18		.250	0	200
18		.250	240	280

Perforations:
Type of perforation Louvered
Size of perforation 1/8"

From	200	feet to	240	feet
From	280	feet to	320	feet
From	360	feet to	400	feet
From	440	feet to	480	feet
From	520	feet to	560	feet

Annular Seal: [ ] Yes [ ] No

[x] Neat Cement	0 to 50	[x] Pumped	[ ] Poured
[ ] Cement Grout	to	[ ] Pumped	[ ] Poured
[ ] Concrete Grout	to	[ ] Pumped	[ ] Poured
[ ] ≥30% Bentonite Grout	to	[ ] Pumped	[ ] Poured

Gravel Pack: [x] Yes [ ] No 180 to 940 [ ] Pumped [ ] Poured
Type: 1/2 x 3/8
Bentonite Chips: [x] Yes [ ] No 50 to 180 [x] Pumped [ ] Poured
Type: 3/8" Chips

7. Water Level
Static water level: ? feet below land surface
Artesian Flow: N/A G.P.M. P.S.I.
Water Temperature: ? °F
Quality:

8. WELL TEST DATA
TEST METHOD: [ ] Bailer [ ] Pump [x] Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

STATE ENGINEER'S OFFICE
2008 NOV 24 AM 11:33
RECEIVED

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name WDC Exploration & Wells (Contractor)
Address 1200 W. San Pedro (Contractor)
Gilbert, Arizona 85233
Nevada contractor's license number issued by the *State Contractor's Board* 0012852
Nevada driller's license number issued by the Division of Water Resources, the *on-site driller* 1616
Signed (By driller performing actual drilling on site or contractor)
Date 11-20-2008

(Rev. 06-06)

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 107625
Permit No.
Basin 066 pg 2

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO.

1. OWNER
MAILING ADDRESS
ADDRESS AT WELL LOCATION
Subdivision Name: *County:*

2. LOCATION ¼ ¼ Sec T N/S R E
PERMIT/WAIVER No. *Issued by Water Resources* Parcel No.
Latitude Longitude
UTM E N ☐ NAD 27 ☐ NAD 83/WGS 84

3. WORKED PERFORMED
☐ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Other

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☐ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☐ Rotary ☐ RVC
☐ Air ☐ Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness

Date started: , 20
Date completed: , 20

9. *WELL CONSTRUCTION*
Depth Drilled Feet Depth Cased Feet

HOLE DIAMETER (BIT SIZE)

	From	To
Inches	Feet	Feet
Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
18		.250	320	360
18		.250	400	440
18		.250	480	520

Perforations:
Type of perforation louvered
Size of perforation 1/8"
From 600 feet to 920 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Annular Seal: ☐ Yes ☐ No
☐ Neat Cement to ☐ Pumped ☐ Poured
☐ Cement Grout to ☐ Pumped ☐ Poured
☐ Concrete Grout to ☐ Pumped ☐ Poured
☐ ≥30% Bentonite Grout to ☐ Pumped ☐ Poured
Gravel Pack: ☐ Yes ☐ No to ☐ Pumped ☐ Poured
Type:
Bentonite Chips: ☐ Yes ☐ No to ☐ Pumped ☐ Poured
Type:

7. *Water Level*
Static water level: feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: °F
Quality:

8. WELL TEST DATA
TEST METHOD: ☐ Bailer ☐ Pump ☐ Air Lift

	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

STATE ENGINEER'S OFFICE
2008 NOV 24 AM 11:33
RECEIVED

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name
Contractor
Address
Contractor
Nevada contractor's license number issued by the *State Contractor's Board*
Nevada driller's license number issued by the Division of Water Resources, the *on-site driller*
Signed
By driller performing actual drilling on site or contractor
Date

(Rev. 05-06)

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 107625
Permit No.
Basin 0160 pg3

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO.

1. OWNER
MAILING ADDRESS
ADDRESS AT WELL LOCATION
Subdivision Name: *County:*

2. LOCATION ¼ ¼ Sec T N/S R E
PERMIT/WAIVER No. *Issued by Water Resources* Parcel No.
Latitude
Longitude
UTM E N
☐ NAD 27
☐ NAD 83/WGS 84

3. WORKED PERFORMED
☐ New Well ☐ Replace ☐ Recondition
☐ Deepen ☐ Other

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☐ Test
☐ Municipal/Industrial ☐ Monitor ☐ Stock

5. WELL TYPE
☐ Cable ☐ Rotary ☐ RVC
☐ Air ☐ Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness

Date started: , 20
Date completed: , 20

9. *WELL CONSTRUCTION*
Depth Drilled Feet Depth Cased Feet

HOLE DIAMETER (BIT SIZE)

	From	To
Inches	Feet	Feet
Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
18		.250	560	600

Perforations:
Type of perforation
Size of perforation
From feet to feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

Annular Seal: ☐ Yes ☐ No
☐ Neat Cement to ☐ Pumped ☐ Poured
☐ Cement Grout to ☐ Pumped ☐ Poured
☐ Concrete Grout to ☐ Pumped ☐ Poured
☐ ≥30% Bentonite Grout to ☐ Pumped ☐ Poured
Gravel Pack: ☐ Yes ☐ No to ☐ Pumped ☐ Poured
Type:
Bentonite Chips: ☐ Yes ☐ No to ☐ Pumped ☐ Poured
Type:

7. *Water Level*
Static water level: feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: °F
Quality:

8. WELL TEST DATA
TEST METHOD: ☐ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

RECEIVED
2008 NOV 24 AM 11:38
STATE ENGINEER'S OFFICE

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Contractor
Address Contractor
Nevada contractor's license number issued by the *State Contractor's Board*
Nevada driller's license number issued by the Division of Water Resources, the *on-site driller*
Signed By driller performing actual drilling on site or contractor
Date

(Rev. 05-06)

USE ADDITIONAL SHEETS IF NECESSARY