

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY** *10/7/08*  
Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin 131

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 61417

1 OWNER Newmont Mining Corporation ADDRESS AT WELL LOCATION Phoenix Mine  
MAILING ADDRESS PO Box 388 Valmy, NV 89435 Hole #PPW-13  
Subdivision Name: \_\_\_\_\_ County: Lander

2 LOCATION NW  $\frac{1}{4}$  NW  $\frac{1}{4}$  Sec 8 T 30N N/S R 43 E Latitude 40.444072 UTM E 4482400  NAD 27  
PERMIT/WAIVER No. 72064-54833 Longitude 117.172037 N 485421  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? No  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 96298

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 370 Feet Depth Cased 360 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8	1/4	1/4	+1	360

Existing Perforations:

Type of perforation	Wire Wrap/Slot
Size of perforation	1/8"
From <u>300</u> feet to <u>360</u> feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	

5 WATER LEVEL  
Static water level 187 feet below land surface  
Artesian flow No G.P.M. N/A P.S.I.  
Water temperature Cool ° F Quality Good

6 Additional Notes or Comments  
1 - pull well pump and collum pipe  
2 - Tag bottom of well and clean  
3 - Perforate well 120' - 300'  
4 - pump 232 94 lb sacks cement (2,181 gal slurry @ 16 lb per gallon) from 360' to surface thru trimmie. 108% hole volume  
Check level in AM of 10/03 and it did not move, still at surface.

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: Star 6 rows  
From 120 feet to 300 feet Number of perfs per linear foot 5  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

8 WELL PLUGGING MATERIALS  
Material Used  
From 360 feet to 0 feet 232 sks cement  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured

Neat Cement Fluid Weight 16 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 10/1/2008  
Date Completed 10/2/2008

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eklund Drilling Company, Inc. Contractor  
Address PO Box 2748 Contractor  
Elko, NV 89803  
Nevada contractor's license number issued by the State Contractor's Board 0030823  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M2089  
Signed Donald School By driller performing actual drilling on site or contractor  
Date 10/15/2008

STATE ENGINEERS OFFICE  
2008 OCT 20 PM 12:42