

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 107931
Permit No. _____
Basin 212

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 34859

1 OWNER Public Right of Way (Clark County) ADDRESS AT WELL LOCATION Cabana Rd (300' North of Flamingo Rd.)
MAILING ADDRESS 5857 E. Flamingo Rd., LV, NV 89122

Subdivision Name: Cabana Relief Interceptor County: Clark

2 LOCATION SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 16 T 21S N/S R 62 E Latitude _____ UTM E SEE NAD 27
PERMIT/WAIVER No. DW 1256 161-16-899-001 Longitude _____ N ATTACHED NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 temp dewatering TYPE OF WELL Irrigation Test Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? no Is there an existing well log? yes
if yes, what is replacement well NOI? _____ If yes, what is NDWR well log #? _____

4 EXISTING WELL CONSTRUCTION
Depth Drilled 30 Feet Depth Cased 30 Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8	6	3/8	0	30

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations:

Existing Perforations:
Type of perforation machine slot
Size of perforation 0.032
From 10 feet to 30 feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Type of perforator used:
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____

5 WATER LEVEL
Static water level 8 feet below land surface
Artesian flow n/a G.P.M. _____ P.S.I. _____
Water temperature n/a °F Quality _____

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments

Abandoned all 6 wells

Material Used

From	feet to	Material	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From <u>0</u>	feet to <u>10</u>	neat cement	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From _____	feet to _____	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

Neat Cement Fluid Weight 94/5 lbs/gal
Bentonite Grout _____ % bentonite

Date Started 12/20/2007
Date Completed 12/20/2007

DCNR/DWR RECEIVED
JAN 23 2008
LAS VEGAS OFFICE

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Viking Drillers Inc Contractor
Address 801 Northport Dr. Contractor
West Sacramento, CA 95691

Nevada contractor's license number issued by the State Contractor's Board 0034680
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M 2091

Signed [Signature]
By driller performing actual drilling on site or contractor
Date 1/16/2008

Dewater

From: Matt Thompson(LV) [mthompson@ConverseConsultants.com]
Sent: Friday, December 28, 2007 3:04 PM
To: SLachapelle@VikingDrillersInc.com
Subject: GPS Locations for Cabana Rd. Las Vegas

Log # 15
107928 to
107933

Sean,

Here are the GPS coordinates you requested for the (6) well locations on Cabana Road, Las Vegas, Nevada. I will forward you the log diagrams pending their completion. If you have any other questions please feel free to contact me. Thanks.

	Northing	Easting
W-1:	26744313.2600	811962.89470
W-2:	26744372.2100	811957.40000
W-3:	26744383.6900	811936.66550
W-4:	26744425.5400	811945.89580
W-5:	26744509.2200	811954.52700
W-6:	26744605.4700	811962.96880

Matt Thompson
Staff Geologist
Converse Consultants
731 Pilot Road, Suite H
Las Vegas, NV 89119
phone (702) 269-8336 ext. 2065
cell (702) 506-2149
fax (702) 269-8353

MThompson@converseconsultants.com

The information contained in this e-mail message (including attachments) is intended only for the personal and confidential use of the recipient(s) named above. This message (including attachments) may be work product and as such is privileged and confidential. If the reader of this message is not the intended recipient or agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

DCNR/DWR
RECEIVED
JAN 23 2008

LAS VEGAS OFFICE

12/28/2007
12/28/2007

THIS BORING LOG IS FOR VIKING'S INTERNAL PURPOSES ONLY. IT DOES NOT REPRESENT INFORMATION PROVIDED BY A SOILS ENGINEER.

LOG FOR BORING NO. 6 I		JOB NAME: CONVERSE CAN			
DATE STARTED 12-11-07	DATE COMPLETED 12-12-07	LOGGED BY Ed	DRILLED BY Ed	TYPE OF DRILL RIG #36	JOB NO. 1056
DEPTH OF HOLE 30'	DIAMETER OF HOLE 24"	CASING 8"	PERFORATIONS 20'	SAMPLING METHOD	ELEVATION

LOCATION

DRILLERS NOTES:
29

DEPTH	SAMPLES	GRAPHIC	DESCRIPTION
			street base
			cobble
			red clay
10'			silt sand
			hard clay
20'			
30'			
40'			
50'			
60'			
70'			
80'			
90'			
100'			

**DCNR/DWR
RECEIVED
JAN 23 2008
LAS VEGAS OFFICE**

THIS BORING LOG IS FOR VIKING'S INTERNAL PURPOSES ONLY. IT DOES NOT REPRESENT INFORMATION PROVIDED BY A SOILS ENGINEER.

LOG FOR BORING NO. <u>5</u> <u>5274</u>		JOB NAME: <u>CONVERSE CAN</u>			
DATE STARTED <u>12-11-07</u>	DATE COMPLETED <u>12-12-07</u>	LOGGED BY <u>ED</u>	DRILLED BY <u>ED</u>	TYPE OF DRILL RIG <u>#36</u>	JOB NO. <u>1056</u>
DEPTH OF HOLE <u>30'</u>	DIAMETER OF HOLE <u>24"</u>	CASING <u>8"</u>	PERFORATIONS <u>20'</u>	SAMPLING METHOD	ELEVATION

LOCATION
see back

DRILLERS NOTES:
29

DEPTH	SAMPLES	GRAPHIC	DESCRIPTION
			street base rock
			cobble
			red clay
10'			silty sand
			hard red clay
20'			
30'			
40'			
50'			
60'			
70'			
80'			
90'			
100'			

DCNR/DWR
RECEIVED
JAN 23 2008
LAS VEGAS OFFICE