

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY

Log No. 108557
Permit No. _____
Basin 79

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 58075

1 OWNER Nevada Department of Wildlife ADDRESS AT WELL LOCATION Steptoe Valley Wildlife Mgt. Area
MAILING ADDRESS HCR 10 Box 10808 Ely, NV.
Ely, NV. 89301 Subdivision Name: _____ County: White Pine

2 LOCATION NE 1/4 SW 1/4 Sec 17T 15N N/S R 64 E Latitude 39° 10.379N UTM E NAD 27
PERMIT/WAIVER No. _____ Longitude 114° 48.585W N NAD 83/WGS 84

issued by Water Resources Parcel No. _____

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? no
If yes, what is replacement well NOI? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? 3282

4 EXISTING WELL CONSTRUCTION
Depth Drilled 37 Feet Depth Cased 37 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8"		10 gage	+2'	37'

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made: _____
Additional Perforations: _____

Existing Perforations:

Type of perforation	Size of perforation	From	feet to	feet
torch slot	1/8" x 12"		37	

Type of perforator used: Mills Knife

From	feet to	feet	Number of perms per linear foot
17	surface		6

5 WATER LEVEL
Static water level 11.21 feet below land surface
Artesian flow G.P.M. _____ P.S.I. _____
Water temperature _____ ° F Quality _____

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
37	surface		neat cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Measured static water level at a depth of 11.21' and depth of well at 35'. Blew debris from well to depth of 37'. Installed 8" Mills Knife and perforated 6 rows per foot from 17' back to surface. We then installed 35' of 2" tremmie pipe and then mixed 18 bags of Portland Type II cement with approx. 100 lbs from bottom of well to surface. Casing volume should have required 15.6 cubic yards, but with the large slots it required 5.4 yards more.

39.173043° N
114.808962° W
NAD 27 (TA)

STATE ENGINEERS OFFICE
2009 SEP 14 AM 11:52

Neat Cement Fluid Weight _____ lbs/gal
Bentonite Grout _____ % bentonite
Date Started 9/1/2009
Date Completed 9/1/2009

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Carson Pump LLC Contractor
Address P.O. Box 20159 Contractor
Carson City, NV. 89721

Nevada contractor's license number issued by the State Contractor's Board 39920A
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2265

Signed [Signature] By driller performing actual drilling on site or contractor
Date 9/9/2009