

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY

Log No. 108656

Permit No. _____

Basin 251

M56-4

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 61090

1. OWNER Newmont Mining Corp.
MAILING ADDRESS PO Box 669
Carlin, NV 89822

ADDRESS AT WELL LOCATION Gold Quarry Mine
Hole #M56-4
Subdivision Name: _____ County: Eureka

2. LOCATION SW 1/4 SE 1/4 Sec 14 T 33N N/S R 51 E
PERMIT/WAIVER No. NEV 90056
Issued by Water Resources Parcel No. _____

Latitude _____ UTM E 567083 NAD 27
Longitude _____ N 4510144 NAD 83/WGS 84

3. WORKED PERFORMED
 New Well Replace Recondition
 Deepen Other

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG				
Material	Water Strata	From	To	Thick-ness
Alluvium		0	370	370
Materials Used				
13 sks #8 Sand				
2 Supersacks 3/8" Hole Plug				
8 sks Superplug - 370 gal slurry				
14 sks Cement - 130 gal slurry				

9. WELL CONSTRUCTION				
Depth Drilled	Feet	Depth Cased	Feet	
370		370		
HOLE DIAMETER (BIT SIZE)				
	From		To	
14 3/4	Inches	0	Feet	20
8 1/2	Inches	20	Feet	370
	Inches		Feet	Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4 1/2		Sch 80 PVC	+2	370

Perforations:				
Type of perforation	Slot	From	feet to	feet
Size of perforation	0.02	350	feet to	370
From			feet to	feet
From			feet to	feet
From			feet to	feet
From			feet to	feet

Annular Seal: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
<input checked="" type="checkbox"/> Neat Cement	0	to	20	<input type="checkbox"/> Pumped <input checked="" type="checkbox"/> Poured
<input type="checkbox"/> Cement Grout		to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
<input type="checkbox"/> Concrete Grout		to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
<input type="checkbox"/> ≥30% Bentonite Grout		to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

Gravel Pack: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	370	to	347	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
Type:	#8 Sand			
Bentonite Chips: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	347	to	241	<input type="checkbox"/> Pumped <input checked="" type="checkbox"/> Poured
Type:	Pump slurry 241 to 150 then 3/8" hole plug from 150 to 20			

Date started: 21-May, 2009
Date completed: 27-May, 2009

7. Water Level
Static water level: 333 feet below land surface
Artesian Flow: No G.P.M. N/A P.S.I.
Water Temperature: Cool °F
Quality: Fair

8. WELL TEST DATA			
TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	5	320	

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Eklund Drilling Company, Inc.
Contractor
Address PO Box 2748
Contractor
Elko, NV 89803
Nevada contractor's license number issued by the State Contractor's Board 0073086 3823
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2089
Signed Donald School by (signature)
By driller performing actual drilling on site or contractor
Date 6/1/2009