

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
 Log No. 108996  
 Permit No. 29140  
 Basin 230

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

Please complete this form in its entirety in  
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 33190

1. OWNER VICTORIA CAPITAL CORP  
 MAILING ADDRESS BEATTY  
BEATTY, NV  
 2. LOCATION SE 1/4 NE 1/4 Sec. 19 T 125  
 PERMIT NO. 29140 18-371-14  
Issued by Water Resources Parcel No.

ADDRESS AT WELL LOCATION BEATTY  
 N/S R 47E E NYE County  
 Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other PLUG

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
PERFORATE WELL WITH MILLS KNIFE FROM 120FT TO SURFACE WITH 6 ROWS OF 1/2 INCH BY 3 INCH PERFS EACH 2 LINER FIT. PUMP BENTONITE GROUT FROM 120FT TO 50 FT THROUGH 1 1/4 TRIMI PIPE USED 240 CU. FT OF BENTONITE GROUT. PUMP 70 CU. FT. OF NEAT CEMENT FROM 50FT TO SURFACE.				
N 36° 52.880 W 116° 45.180 <u>NAD 83</u>				
<u>36.891387°N</u> <u>116.752157°W</u> <u>NAD 27</u> (10)				
<u>Plugging well log # 16484</u>				

8. WELL CONSTRUCTION  
 Depth Drilled EXISTING Feet Depth Cased \_\_\_\_\_ Feet  
 HOLE DIAMETER (BIT SIZE)  
 EXST 16" From 0 Feet To 120 Feet  
Inches Feet Inches Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
EXISTING	<u>42</u>	<u>0.25</u>	<u>0</u>	<u>120</u>

Perforations:  
 Type perforation MILLS KNIFE  
 Size perforation 1/2 X 3  
 From 120 feet to SURFACE feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No  
 Depth of Seal \_\_\_\_\_  
 Placement Method:  Pumped  Poured  
 Seal Type:  Neat Cement  Cement Grout  Concrete Grout  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level 18 feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name GREAT BASIN DRILLING CO. OF NEVADA, INC.  
Contractor  
 Address 1220 E MANSE RD  
Contractor  
PAHRUMP, NV. 89048  
 Nevada contractor's license number issued by the State Contractor's Board 47333  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1426  
 Signed [Signature]  
By driller performing actual drilling on-site or contractor  
 Date 10/5/2009

Date started 9/23/2009, 19  
 Date completed 10/5/2009, 19

7. WELL TEST DATA  
 TEST METHOD:  Bailor  Pump  Air Lift  
 G.P.M. Draw Down (Feet Below Static) Time (Hours)  
 [Stamp: DONR/DWR RECEIVED OCT 20 2009]

LAS VEGAS OFFICE ADDITIONAL SHEETS IF NECESSARY

STATE ENGINEER'S OFFICE  
 2009 OCT 22 AM 9:26