


STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT



OFFICE USE ONLY  
Log No. 109041

Permit No. \_\_\_\_\_  
Basin 033A

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 56108

1 OWNER HETRICK BROS, INC  
MAILING ADDRESS PO Box 269  
OROVADA, NV 89425

ADDRESS AT WELL LOCATION \_\_\_\_\_  
HUMBOLDT  
Subdivision Name \_\_\_\_\_  
County \_\_\_\_\_

2 LOCATION SE 1/4 SE 1/4 Sec 17 T 42 N R 37 E  
PERMIT/WAIVER No. 17219  
28225 Issued by Water Resources Parcel No. \_\_\_\_\_

Latitude 41.513319 UTM E  NAD 27  
Longitude 117.829220 N  NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a  
replacement well was drilled? YES  
If yes, what is replacement well NOI? 56109

Is there an existing well log? YES  
If yes, what is NDWR well log #? 13033

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 700 Feet Depth Casad 600 Feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>16</u>	<u>42</u>	<u>1.250</u>	<u>+1</u>	<u>600</u>

If well was not cleaned out to total depth, please explain why:  
CASING DETERIORATION & DAMAGE  
MADE RUNNING A BAILER OR  
PERFORATOR IMPRACTICAL  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

Existing Perforations:  
Type of perforation MILL SLOT  
Size of perforation .125  
From 300 feet to 600 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: NO ADDITIONAL PERFORATIONS  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 120 feet below land surface  
Artesian flow 0 G.P.M. P.S.I.  
Water temperature COOL °F Quality GOOD

8 WELL PLUGGING MATERIALS  
Material Used  
From 0 feet to 600 feet CEMENT  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured

6 Additional Notes or Comments  
THE REPLACEMENT WELL  
WAS OFFSET 25 FT FROM  
THE OLD WELL WHICH WAS  
ABANDONED PRIOR TO  
DRILLING.  
TREMIIE PIPE WAS RUN IN  
TO 600 FT AND 33 YARDS OF  
CEMENT/SAND GROUT WAS  
PUMPED FROM BOTTOM TO  
SURFACE.  
STATE ENGINEERS OFFICE  
2009 OCT 22 AM 11:07

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 6/8/08  
Date Completed 6/8/08

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name HMS ENTERPRISES Contractor  
Address 399 DENIO HWY 140 Contractor  
WINNEVOCCA, NV 89445  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 58683  
Nevada driller's license number issued by the \_\_\_\_\_  
Division of Water Resources, the on-site driller 2140  
Signed Ralph Schaal  
By driller performing actual drilling on site or contractor  
Date 10-20-09