


STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY 109042



Log No. _____
 Permit No. _____
 Basin 033A

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO 56101

1 OWNER MARVIN HETRICK
 MAILING ADDRESS PO Box 36
AROVADA, NY 89425

ADDRESS AT WELL LOCATION _____
 Subdivision Name: _____ County: Humboldt

2 LOCATION SW 1/4 NE 1/4 Sec 17 T 42 N R 37 E
 PERMIT/WAIVER No. 29068
Issued by Water Resources Parcel No.

Latitude 41.521336 UTM E NAD 27
 Longitude 117.838537 N NAD 83/WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a
 replacement well was drilled? YES
 If yes, what is replacement well NOI? 56103

Is there an existing well log? YES
 If yes, what is NDWR well log #? 15617

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 704 Feet Depth Cased 660 Feet

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>16</u>		<u>1.250</u>	<u>0</u>	<u>140</u>

If well was not cleaned out to total depth, please explain why:
CASING AND SCREEN DAMAGE WOULD NOT ALLOW INSERTION OF BAILER OR PERFORATOR
 Was the well contaminated? yes no
 Was the casing pulled? yes no
 Was the casing over drilled? yes no

Existing Perforations:
 Type of perforation WIRE WRAP SCREEN
 Size of perforation 100?
 From 140 feet to 660 feet
 From _____ feet to _____ feet

If casing was left in place, please show where additional perforations were made:
 Additional Perforations:
 Type of perforator used: PERFORATING NOT POSSIBLE
 From _____ feet to _____ feet Number of perms per linear foot _____
 From _____ feet to _____ feet Number of perms per linear foot _____
 From _____ feet to _____ feet Number of perms per linear foot _____
 From _____ feet to _____ feet Number of perms per linear foot _____
 From _____ feet to _____ feet Number of perms per linear foot _____
 From _____ feet to _____ feet Number of perms per linear foot _____

5 WATER LEVEL
 Static water level 95 feet below land surface
 Artesian flow NA G.P.M. P.S.I.
 Water temperature COOL °F Quality GOOD

8 WELL PLUGGING MATERIALS
 Material Used
 From 0 feet to 600 feet CEMENT Pumped Poured
 From _____ feet to _____ feet Pumped Poured

6 Additional Notes or Comments
REPLACEMENT WELL WAS OFFSET 30' FROM OLD WELL. OLD WELL WAS ABANDONED PRIOR TO STARTING TO DRILL.
TREMIE PIPE WAS RUN IN TO 600' AND 33 YDS OF CEMENT/SAND GROUT WAS PUMPED FROM BOTTOM UP.
WELL VIDEO SHOWED BAD CASING JOINT AT 130' AND NUMEROUS COMPRESSION BREAKS, HOLES AND OTHER DAMAGE TO SCREENS FROM 205' DOWN.
 STATE ENGINEERS OFFICE
 2009 OCT 22 AM 11:07

Neat Cement Fluid Weight _____ lbs/gal
 Bentonite Grout _____ % bentonite
 Date Started 10/16/08
 Date Completed 10/16/08

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
 Name AMS ENTERPRISES Contractor
 Address 399 DENIO HWY 140 Contractor
WINNEMUCCA, NY 89445
 Nevada contractor's license number issued by the State Contractor's Board 58683
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 3140
 Signed Ralph Schank By driller performing actual drilling on site or contractor
 Date 10-20-09