

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**



OFFICE USE ONLY

Log No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Basin φ51

119097

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

Please complete this form in its entirety in  
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 61122

1 OWNER Newmont Mining Corp  
 MAILING ADDRESS 1655 Mountain City Highway  
Elko, NV 89801

ADDRESS AT WELL LOCATION Gold Quarry  
Hole #LK-42  
 Subdivision Name: \_\_\_\_\_ County: Eureka

2 LOCATION NW 1/4 SW 1/4 Sec 2 T 33N N/S R 51 E  
 PERMIT/WAIVER No. 56834  
 Issued by Water Resources Parcel No. \_\_\_\_\_

Latitude 40.773657°N UTM E 566335  NAD 27  
 Longitude 116.213959°W 4513717  NAD 83/WGS 84  
N402909

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? Mp  
 Is there an existing well log? Yes  
 If yes, what is replacement well NOI? \_\_\_\_\_  
 If yes, what is NDWR well log #? 76646

4 EXISTING WELL CONSTRUCTION  
 Depth Drilled 685 Feet Depth Cased 685 Feet

7 WELL PLUGGING PROCEDURE  
 Was well cleaned out to total depth?  yes  no  
 If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
12 5/8		1/4 wall	0	108
8 5/8		1/4 wall	+2	685

Was the well contaminated?  yes  no  
 Was the casing pulled?  yes  no  
 Was the casing over drilled?  yes  no  
 If casing was left in place, please show where additional perforations were made:  
 Additional Perforations:  
 Type of perforator used: \_\_\_\_\_

Existing Perforations:

Type of perforation	Size of perforation	From	feet to	feet
1/8" Louvered	1/8" Louvered		680	
From	178			
From				

From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot

5 WATER LEVEL  
 Static water level 260 feet below land surface  
 Artesian flow No G.P.M. N/A P.S.I.  
 Water temperature Cool °F Quality Good

8 WELL PLUGGING MATERIALS  
 Material Used  
 From 685 feet to 122 feet Super Plug  Pumped  Poured  
 From 122 feet to 10 feet 3/8" hole plug  Pumped  Poured  
 From 10 feet to 0 feet Cement  Pumped  Poured  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured

6 Additional Notes or Comments  
Pumped super plug from bottom to 122 feet. Pour 3/8" hole to 10' put in 10' cement.  
4000 gals super plug  
1-3000 lb 3/8 hole plug super sack

Neat Cement Fluid Weight 15.2 lbs/gal  
 Bentonite Grout \_\_\_\_\_ % bentonite  
 Date Started 10/29/2009  
 Date Completed 10/29/2009

9 DRILLER'S CERTIFICATION  
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
 Name Boart Longyear Nevada  
 Contractor  
 Address PO Box 2748  
 Contractor  
Elko, NV 89803  
 Nevada contractor's license number issued by the State Contractor's Board 0073086  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1777  
 Signed Dennis L. White  
 By driller performing actual drilling on site or contractor  
 Date 10/29/2009