


STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT



OFFICE USE ONLY
Log No. 109/12
Permit No. _____
Basin 104 pg/02

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 62647

1. OWNER Parks Dept, Carson City ADDRESS AT WELL LOCATION 601 Old Clear Creek Rd
MAILING ADDRESS 3303 Butti Way, #9 Carson City, NV 89705
SW Carson City, NV 89701 Subdivision Name: Fuji Park Pond County: Carson City

2. LOCATION SE 1/4 SE 1/4 Sec 31 T 15N N/S R 20 E Latitude 39 06'53.19" UTM E NAD 27
PERMIT/WAIVER No. DEW-80 1520-009-303-003 Longitude 119 46'36.45" N NAD 83/WGS 84

Issued by Water Resources Parcel No. _____

3. WORKED PERFORMED
 New Well Replace Recondition
 Deepen Other

4. X Dewatering PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
See Attached				
#2 well				
39.114866°N				
119.775778°W				
N40 27 (TA)				
PLUGGED BY NOS #62648				
See Plugging				
Log # 109393				

9. WELL CONSTRUCTION

Depth Drilled 40 Feet Depth Cased 40 Feet

HOLE DIAMETER (BIT SIZE)

From	To
<u>24</u> Inches	<u>0</u> Feet <u>40</u> Feet
_____ Inches	_____ Feet _____ Feet
_____ Inches	_____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>8</u>	<u>6</u>	<u>3/8</u>	<u>0</u>	<u>40</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Perforations:

Type of perforation machine slot
Size of perforation 0.032

From	to	From	to
<u>20</u>	feet to <u>40</u>	_____	feet to _____
_____	feet to _____	_____	feet to _____
_____	feet to _____	_____	feet to _____
_____	feet to _____	_____	feet to _____

Annular Seal: Yes No

<input type="checkbox"/> Neat Cement	_____ to _____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<input type="checkbox"/> Cement Grout	_____ to _____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<input type="checkbox"/> Concrete Grout	_____ to _____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<input checked="" type="checkbox"/> 230% Bentonite Grout	<u>10</u> to <u>12</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Gravel Pack: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>12</u> to <u>40</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Type: _____	<u>3/8</u> Pea Gravel	_____	_____
Bentonite Chips: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<u>10</u> to <u>12</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
Type: _____	<u>3/8</u> 's	_____	_____

Date started: 30-Sep, 2009
Date completed: 30-Sep, 2009

7. Water Level
Static water level: 7 feet below land surface
Artesian Flow: _____ G.P.M. _____ P.S.I.
Water Temperature: _____ °F
Quality: _____

8. WELL TEST DATA

TEST METHOD: Bailor Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Viking Drillers Inc
Contractor

Address 801 Northport Dr.
Contractor

West Sacramento, CA

Nevada contractor's license number
issued by the State Contractor's Board 0034680

Nevada driller's license number issued by the
Division of Water Resources, the on-site driller M-2091

Signed [Signature]
By driller performing actual drilling on site or contractor

Date 11/4/09

Log# 109112 pg 2 of 2

LOG FOR BORING NO. #142		JOB NAME: F&P Construction			
DATE STARTED 9/30/09	DATE COMPLETED 9/30/09	LOGGED BY EB	DRILLED BY EB	TYPE OF DRILL RIG # 32	JOB NO. 5967
DEPTH OF HOLE 40'	DIAMETER OF HOLE 4" 24"	CASING 8"	PERFORATIONS 20'	SAMPLING METHOD	ELEVATION

LOCATION

DRILLERS NOTES:

RECEIVED
 2009 NOV - 6 PM 12: 02
 STATE ENGINEERS OFFICE

DEPTH	SAMPLES	GRAPHIC	DESCRIPTION
0'			Brown silty sand
10'			gray SAND - tight. med.
20'			
30'			SAND & Cobbles Tight.
40'			
50'			
60'			
70'			
80'			
90'			
100'			