

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY 109256
Log No. _____
Permit No. _____
Basin φ7φ

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 58070

1 OWNER City of Golconda ADDRESS AT WELL LOCATION 6th street and Sibbald St.
MAILING ADDRESS Golconda, NV. in Golconda NV.
Subdivision Name: _____ County: Humboldt

2 LOCATION NW ¼ SW ¼ Sec 26 T 36N N/S/R 40 E Latitude 40° 57.089N UTM E _____ NAD 27
PERMIT/WAIVER No. 36282 Longitude 117° 28.944W N _____ NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? no
If yes, what is replacement well NOI? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? 20438

4 EXISTING WELL CONSTRUCTION
Depth Drilled 234 Feet Depth Cased 234 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
10"		.250	+2'	235' 234'

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations:

Existing Perforations:

Type of perforation	Size of perforation	mill slot & Mills Knife
From	113'	feet to 128' feet
From	140'	feet to 192' feet
From	192'	feet to 234' feet
From		feet to _____ feet
From		feet to _____ feet

Type of perforator used: Mills Knife

From	feet to	feet	Number of perfs per linear foot
From 113	feet to surface	feet	6
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____
From _____	feet to _____	feet	_____

5 WATER LEVEL
Static water level 63.4 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature _____ ° F Quality _____

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From 233	feet to +1	feet	neat cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	feet	_____	<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
Removed 210' of 2" pipe and pump from well. Measured static water level at 97.2' and depth of well at 229'. Bailed debris from well to a depth of 233'. Installed 10" Mills Knife and perforated 6 rows per foot from 113' to surface. Installed 231' of 2" tremme pipe. The next day we pumped in approximately 8 yards of neat cement.
40.951581° N
117.481455° W
NAD 27 (1A)
STATE ENGINEER OFFICE
2009 NOV 23 AM 11:52

Neat Cement Fluid Weight 14.5 lbs/gal
Bentonite Grout _____ % bentonite
Date Started 10/19/2009
Date Completed 10/20/2009

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name Carson Pump, LLC Contractor
Address P.O. Box 20159 Contractor
Carson City, NV, 89721
Nevada contractor's license number issued by the State Contractor's Board 089920A
Nevada driller's license number issued by the Division of Water Resources, the on-site date 2265
Signed [Signature] By driller performing actual drilling on site or contractor
Date 11/16/2009