

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY **109589**

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin **131**

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 61087

1 OWNER Newmont Mining Corp. ADDRESS AT WELL LOCATION Phoenix Mine  
MAILING ADDRESS PO Box 388  
NW Valmy, NV 89438 Subdivision Name: \_\_\_\_\_ County: Lander

2 LOCATION S 1/4 SE 1/4 Sec 8 T 30N N/S R 43 E Latitude 40.4852790833 UTM E  NAD 27  
PERMIT/WAIVER No. NEV0087061 Longitude 117.161392212 N  NAD 83/WGS 84  
M/10-369 Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? Yes  
If yes, what is replacement well NOI? 61077  
Is there an existing well log? Yes  
If yes, what is NDWR well log #? 36013

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 190 Feet Depth Cased 150 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6		Sch 80 PVC	+2	106
6		Sch 80 Screen	106	145
6		Sch 80 PVC	145	150

Existing Perforations:

Type of perforation	Slot
From <u>106</u> feet to <u>145</u> feet	<u>0.05</u>
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____

5 WATER LEVEL  
Static water level 90 feet below land surface  
Artesian flow No G.P.M. N/A P.S.I.  
Water temperature Cool °F Quality Good

6 Additional Notes or Comments  
4 - 94lb Sacks Cement, 37 Gallons  
18 - Sacks Super Plug 9.2lbs at 12.5% solids = 830 Gallons

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: None  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	feet to	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>0</u>	feet to <u>20</u>	Neat Cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From <u>20</u>	feet to <u>190</u>	Super Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight 15 lbs/gal  
Bentonite Grout 12.5 % bentonite  
Date Started 2/9/2009  
Date Completed 2/9/2009

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Eklund Drilling Company, Inc. Contractor  
Address PO Box 2748 Contractor  
Elko, NV 89803  
Nevada contractor's license number issued by the State Contractor's Board 0030823  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2348  
Signed Shaun Melson By driller performing actual drilling on site or contractor  
Date 3/11/2009