

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

Page 1 of 2 pages
 NOTICE OF INTENT NO. 51671

1. OWNER THE BOEING COMPANY ADDRESS AT WELL LOCATION Rocketdyne, NV Field
 MAILING ADDRESS 6633 Canoga Avenue D-393 T-487 Laboratory, Washoe County, Nevada
Canoga Park, CA 91303 2600 Whiskey Springs Road, Reno, NV 89510
 2. LOCATION NE 1/4 NE 1/4 Sec. 7 T. 22N N/S R. 22 E Washoe County
 PERMIT NO. R-455 77-320-09D 077-320-09 Area D Palomino Valley
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other.....
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other.....

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
ALLUVIUM				
light reddish brown				
gravely sand, fine to				
coarse sand, fine to				
coarse gravel, well				
graded, subangular,		0	26	26
TUFFS of Whiskey Spring Unit D, Middle Zone				
mix of maroon and olive				
fragments, angular to				
subangular @28ft				
maroon moderately				
welded tuff, some				
quartz, feldspar and				
biotite phenocrysts		26	70	44
TUFFS of Whiskey Spring Unit D, Lower Zone				
very soft drilling,				
light reddish brown				
cuttings, soft, weathered		@70	120	50
olive, soft, clay zone @100				
olive welded tuff,				
abundant biotite and				
quartz phenocrysts @120				
apperance of dark				
purple tuff fragments				
with small biotite				
and quartz phenocrysts @160				
olive welded tuff, sparce,				
tiny quartz, feldspar,				
and biotite phenocrysts @210				

8. WELL CONSTRUCTION

Depth Drilled.....Feet Depth Cased.....Feet

HOLE DIAMETER (BIT SIZE)

From	To
Inches.....	Feet..... Feet
Inches.....	Feet..... Feet
Inches.....	Feet..... Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:

Type perforation.....
 Size perforation.....

From.....feet to.....feet
 From.....feet to.....feet
 From.....feet to.....feet
 From.....feet to.....feet
 From.....feet to.....feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout

Depth of Seal.....

Placement Method: Pumped
 Poured

Gravel Packed: Yes No
 From.....feet to.....feet

9. WATER LEVEL

Static water level.....feet below land surface
 Artesian flow.....G.P.M.....P.S.I.
 Water temperature.....°F Quality.....

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name WAYNE DRILLING, INC.
 Address P.O. BOX 12370
RENO, NEVADA 89510

Nevada contractor's license number issued by the State Contractor's Board 0022549
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 908

Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date December 8, 2006

Continued on page 2 of 2 pages
 Date started Nov 12, 2003
 Date completed Nov 21, 2003

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

Log No. _____
 Permit No. **089**
 Basin **Madia**

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

Page 2 of 2 pages
 NOTICE OF INTENT NO. **51670**

1. OWNER THE BOEING COMPANY ADDRESS AT WELL LOCATION Rocketdyne, NV Field
 MAILING ADDRESS 6633 Canoga Avenue D-393 T-487 Laoratory, Washoe County, Nevada
Canoga Park, CA 91303 2600 Whiskey Springs Road, Reno, NV 89510
 2. LOCATION NE 1/4 NE 1/4 Sec 7 T 22N N/S R 22 E Washoe County
 PERMIT NO R-455 D-58A 077-320-09 Area D Palomino Valley
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Continued from page 1 of 2 pages				
slightly reddish color to cuttings @295				
let hole sit for 40 min.				
no measured water accumulated @325 ft				
some fracturing @460		475	15	
increased fraturing @475				
significant fracture @483				
borehole produsing water X approx 20 GPM		230	498	
Fill from 494.3 to 498 ft				

8. WELL CONSTRUCTION
 Depth Drilled 498 Feet Depth Cased 494.3 Feet
 HOLE DIAMETER (BIT SIZE)

	From	To
<u>12 3/4</u> Inches	<u>0</u> Feet	<u>30</u> Feet
<u>10</u> Inches	<u>30</u> Feet	<u>498</u> Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6 5/8"</u>	<u>steel</u>	<u>.188</u>	<u>0</u>	<u>494.3</u>
<u>6 5/8"</u>	<u>steel drive shoe. 8" monument.</u>			

Perforations:
 Type perforation factory sawed slot
 Size perforation 3/32 x 3" slots
 From 394.3 feet to 494.3 feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 48 ft Neat Cement
 Placement Method: Pumped Cement Grout
 Bentonit seal: 48-50 ft Concrete Grout
 Gravel Packed: Yes No 1/8 x 1/4" gravel
 From 50 feet to 494.3 feet

9. WATER LEVEL
 Static water level 382.2 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cold °F Quality not known

Date started November 22, 2003, 20
 Date completed December 2, 2003, 20

7. WELL TEST DATA

TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift			
G.P.M.	Draw Down (Feet Below Static)	Time (Hours)	
<u>60</u>			

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name WAYNE DRILLING, INC. Contractor
 Address P.O. BOX 12370 Contractor
RENO, NEVADA 89510
 Nevada contractor's license number 0022549
 issued by the State Contractor's Board
 Nevada driller's license number issued by the 908
 Division of Water Resources, the on-site driller
 Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date December 8, 2006