

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

**WELL DRILLER'S REPORT**

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 47707

Consultant: \_\_\_\_\_ Client: \_\_\_\_\_  
 1. OWNER: HALEY & ALDRICH, INC. ADDRESS AT WELL LOCATION: \_\_\_\_\_  
 MAILING ADDRESS: 6200 East 14th St., Suite A200 Rocketdyne Former Field Lab  
Tucson, Arizona 85711-4029 Off Whiskey Springs Road, Reno, NV  
 2. LOCATION: SW 1/4 SE 1/4 Sec. 12 T. 22N N/S R. 21 E Washoe County  
 PERMIT NO. M/O 431-B D-29A 077-110-26 Palomino Valley Subdivision Name  
Issued by Water Resources Parcel No.

3. WORK PERFORMED 4. PROPOSED USE 5. WELL TYPE

New Well  Replace  Recondition  Domestic  Irrigation  Test  Cable  Rotary  RVC  
 Deepen  Abandon  Other \_\_\_\_\_  Municipal/Industrial  Monitor  Stock  Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
<b>WELL ABANDONMENT/PLUGGING</b>				
10-16-01				
Rig up over existing well and pull pump.				
Total depth @240 feet				
Static water level @88 feet				
Run tremie pipe to 238 feet.				
Rig up mixer & grout pump & lines.				
Mix & pump 20 sacks cement.				
Break up concrete base with Jack Hammer.				
Cut casing below grade & top off cement.				
Finish at grade.				
10-17-01				
Check cement. Down 20 feet.				
Mix 2 sacks of cement and fill.				
Equipment used:				
Ingersoll -Rand T4W Drill Master				
High pressure grout mixer.				
Materials used:				
238 feet of tremie pipe.				
22 sacks Portland Cement Type II				
Location:				
65 feet E of W prperty line				
260 feet N of S property line				

8. WELL CONSTRUCTION

Depth Drilled \_\_\_\_\_ Feet Depth Cased \_\_\_\_\_ Feet

HOLE DIAMETER (BIT SIZE)

From \_\_\_\_\_ To \_\_\_\_\_

Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:

Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_

From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Neat Cement  
 Cement Grout  
 Concrete Grout

Placement Method:  Pumped  Poured

Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7. WELL TEST DATA

TEST METHOD:  Bailer  Pump  Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<i>* See log # 109977</i>		

Date started 10-16-01 \_\_\_\_\_, 20\_\_\_\_  
 Date completed 10-17-01 \_\_\_\_\_, 20\_\_\_\_

9. WATER LEVEL

Static water level \_\_\_\_\_ feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name WAYNE DRILLING, INC. Contractor  
 Address P.O. BOX 12370 Contractor  
RENO, NEVADA 89510

Nevada contractor's license number issued by the State Contractor's Board 0022549  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 923/908

Signed [Signature]  
 Date November 8, 2001