

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 111548
Permit No. 11304
Basin 1102

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 64232

1 OWNER Desert Investments LLC ADDRESS AT WELL LOCATION 6351 E. Thousandaire Blvd.
MAILING ADDRESS 8090 S. Durango Dr. #115 Pahrump, NV
Las Vegas, NV 89113
Subdivision Name: County: Nye

2 LOCATION SE ¼ NW ¼ Sec 15 T 21S N/S R 54 E Latitude 36.12 4605 UTM E NAD 27
PERMIT/WAIVER No. 11304 45-131-02 Longitude 115.898 193 N NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? No Is there an existing well log? Yes
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
If yes, what is replacement well NOI? If yes, what is NDWR well log #? 3314

4 EXISTING WELL CONSTRUCTION
Depth Drilled 520 Feet Depth Cased Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why:

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
12		.250	+2	520

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations:
Type of perforator used: Air perforator with rolling knife blades
From 2 feet to 520 feet Number of perfs per linear foot 15

Existing Perforations:

Type of perforation	Size of perforation	From	To
Air perforator with rolling knife blades			

Additional Perforations:

Type of perforator used	From	To	Number of perfs per linear foot
Air perforator with rolling knife blades	2	520	15

5 WATER LEVEL
Static water level n/a feet below land surface
Artesian flow 80-100 G.P.M. ? P.S.I.
Water temperature unknown °F Quality Good

8 WELL PLUGGING MATERIALS

From	To	Material Used	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
520	178	neat cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
178	0	neat cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
Air perforator used. Perforations started from 2' above ground level and terminated at 520'. 28 yards of neat cement was used via trimmie to plug well from bottom up to 178' until the artesian flow had stopped. Next day 16 yards of neat cement was placed thru a second trimmie set from 178' to surface to complete.

Neat Cement Fluid Weight lbs/gal
Bentonite Grout % bentonite
Date Started 5/4/2010
Date Completed 5/11/2010

DCNR/DWR RECEIVED
JUN 15 2010
LAS VEGAS OFFICE

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name ALLEN DRILLING INC. Contractor
Address 4015 West Tompkins Ave. Contractor
Las Vegas, NV 89103
Nevada contractor's license number issued by the State Contractor's Board 18916 & 18917
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2231
Signed [Signature] By driller performing actual drilling on site or contractor
Date 5/14/2010