

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 111929  
Permit No. \_\_\_\_\_  
Basin 064

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 65873

1 OWNER Newmont mining Corp ADDRESS AT WELL LOCATION Lone Tree mine  
MAILING ADDRESS PO. Box 388 Valmy NV 20 mi. west 6m NV  
89438 Subdivision Name: \_\_\_\_\_ County: Humboldt

2 LOCATION NW 1/4 SW 1/4 Sec 33 T 33 N SR 43 E Latitude UTM E 487674  NAD 27  
PERMIT/WAIVER No. \_\_\_\_\_ Longitude N 4504067  NAD 83/WGS 84

Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? NO  
If yes, what is replacement well NOI? \_\_\_\_\_

Is there an existing well log? no  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled Est 1500 Feet Depth Cased Est 1500 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2</u>		<u>Sch 80</u>	<u>0</u>	<u>-1500</u>

Existing Perforations:  
Type of perforation Assuming Horiz Slot  
Size of perforation Assuming .020

From	feet to	feet	feet
<u>Unknown</u>			

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: 2" PVC

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations: none

Type of perforator used: \_\_\_\_\_

From	feet to	feet	Number of perfs per linear foot

5 WATER LEVEL  
Static water level 1000' feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	Pumped	Poured
<u>1500</u>		<u>0</u>	<u>60 SKS Cement</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
			<u>8 SKS Hdg</u>	<input type="checkbox"/>	<input type="checkbox"/>
			<u>plug Fine</u>	<input type="checkbox"/>	<input type="checkbox"/>
			<u>1/2 SKS</u>	<input type="checkbox"/>	<input type="checkbox"/>
			<u>Cement</u>	<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight 15 lbs/gal  
Bentonite Grout none % bentonite

Date Started 7-20-2010  
Date Completed 7-21-2010

6 Additional Notes or Comments  
Pump 564 gal neat cement  
(60 SKS @ 94 lbs ea) down  
pvc until pressure up.  
Pour 8 SKS Hdg plug Fine Down  
pvc.  
Pour in approx 14 gal cement  
down pvc to top of well  
and make seal  
m/o well 33-43-33-1  
Lone Tree Complex  
NAD-27 GPS  
40.689307°N  
117.145874°W

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Boart Long year Nevada LP Zone  
Contractor  
Address PO. Box 2748  
Contractor  
EIKO-NV, 89803  
Nevada contractor's license number 0023086  
issued by the State Contractor's Board  
Nevada driller's license number issued by the 2089  
Division of Water Resources, the on-site driller

Signed Daryl  
By driller performing actual drilling on site or contractor  
Date 7/22/2010

USE ADDITIONAL SHEETS IF NECESSARY