

PLUGGING WELL  
LOG # 72706

IW-6

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 112232  
Permit No. \_\_\_\_\_  
Basin φ36

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

1 OWNER Yukon Nevada Gold Corp ADDRESS AT WELL LOCATION Territ Canyon Mine  
MAILING ADDRESS HC-31 BOX 278 ELKO, NV. 89801 Murray  
Subdivision Name: \_\_\_\_\_ County: ELKO  
2 LOCATION 1/4 1/4 Sec. 34 T 41 S R 53 E Latitude 412402.27390 UTM E 584010.62  NAD 27  
PERMIT/WAIVER No. \_\_\_\_\_ Longitude 1155942.01684 N 4583507.22  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 ~~Injection well~~ TYPE OF WELL Is this well being plugged because a replacement well was drilled? NO Is there an existing well log? yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NO? \_\_\_\_\_ If yes, what is NDWR well log #? 72706

4 EXISTING WELL CONSTRUCTION

Depth Drilled 1360' Feet Depth Cased 1360' Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6"</u>	<u>12.25</u>	<u>.188</u>	<u>0'</u>	<u>1360'</u>

7 WELL PLUGGING PROCEDURE

Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations: \_\_\_\_\_  
Type of perforator used: Air  
From 545' feet to 600' feet Number of perfs per linear foot 12  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

Existing Perforations:  
Type of perforation Vert. Slot  
Size of perforation .125  
From 1360' feet to 580' feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

5 WATER LEVEL  
Static water level 612' feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	To	Material Used	Pumped	Poured
<u>1360'</u>	<u>0'</u>	<u>Neat Cement</u>	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments  
Rig up over well & enter & clean to 1360'  
Trip & put on perforator. Re-enter & perf. 545' - 600' Double Pass.  
Trip & take perforator off. Re-enter to 1360' & mix & pump Neat Cement in lifts to surface.  
15 yards Neat Cement.

Neat Cement Fluid Weight Thick lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 10-11-10  
Date Completed 10-12-10

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Ward Weaver Rimrock Drilling Contractor  
Address 2305 Last Chance Rd. ELKO, NV. 89801 Contractor  
Nevada contractor's license number issued by the State Contractor's Board 0030630  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1676  
Signed Ward Weaver By driller performing actual drilling on-site or contractor  
Date 10-16-10