

7H-1040

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 112235
Permit No. _____
Basin φ44

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

65009

NOTICE OF INTENT NO. ~~_____~~

1 OWNER Yukon Nevada Gold Corp. ADDRESS AT WELL LOCATION Jeppitt Canyon Mine
MAILING ADDRESS HC 31 Box 78 ELKO, NV, 89801 East DASH
Subdivision Name: _____ County: ELKO

2 LOCATION SE 1/4 SW 1/4 Sec 8 T 40 S R 54E Latitude 412152.51672 UTM E 590257.14 NAD 27
PERMIT/WAIVER No. M/D-1321 Longitude 115.5515.13529 N 4577580.28 NAD 83/WGS 84
Issued by Water Resources Parcel No. _____

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 Is this well being plugged because a replacement well was drilled? NO
 If yes, what is replacement well NOI? _____
 Is there an existing well log? yes
 If yes, what is NDWR well log #? 94777

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 1080 Feet Depth Cased 800 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>1 7/8"</u>	<u>.7</u>	<u>SE-20 PVC</u>	<u>0'</u>	<u>800'</u>

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no
 If well was not cleaned out to total depth, please explain why: _____
 Was the well contaminated? yes no
 Was the casing pulled? yes no Drilled out
 Was the casing over drilled? yes no
 If casing was left in place, please show where additional perforations were made:
 Additional Perforations:
 Type of perforator used:
 From _____ feet to _____ feet Number of perfs per linear foot _____
 From _____ feet to _____ feet Number of perfs per linear foot _____
 From _____ feet to _____ feet Number of perfs per linear foot _____
 From _____ feet to _____ feet Number of perfs per linear foot _____
 From _____ feet to _____ feet Number of perfs per linear foot _____
 From _____ feet to _____ feet Number of perfs per linear foot _____

Existing Perforations:
 Type of perforation Horz. slot
 Size of perforation .280
 From 800' feet to 400' feet
 From _____ feet to _____ feet

5 WATER LEVEL
 Static water level 433' feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

8 WELL PLUGGING MATERIALS

From	feet to	Material Used	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<u>1080'</u>	<u>20'</u>	<u>Super plug</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>20'</u>	<u>0'</u>	<u>Neat Cement</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
Set Drill Rig up over monitor well
Run Tri. Cone Bit & Ream out PVC & mud - Cement - gravel to T.D.
1080' - Clean well.
Mix & pump Abandonite (Super plug)
T.D. up to surface as we tripped Drill Peds.
47 Bags Super plug
Cement Top 20'

Neat Cement Fluid Weight Thick lbs/gal
 Bentonite Grout _____ % bentonite
 Date Started 9-24-10
 Date Completed 9-24-10

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge
 Name Ward Weaver Rimrock Drilling Contractor
 Address 2305 Last Chance Rd. ELKO, NV, 89801 Contractor
 Nevada contractor's license number issued by the State Contractor's Board 0030630
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1676
 Signed Ward Weaver By driller performing actual drilling on-site or contractor
 Date 10-16-10