

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 112241
Permit No. _____
Basin 644

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 65013

1 OWNER Yukon Nevada Gold Corp. ADDRESS AT WELL LOCATION Jeritt Canyon Mine
MAILING ADDRESS HC 31 Box 78 ELKO, NV. 89801 East DASH
Subdivision Name: _____ County: _____

2 LOCATION NE NW 1/4 Sec 17 T 40 N R 54 E Latitude 41.2138.69588 UTM E 590115.52 NAD 27
PERMIT/WAIVER No. _____ Longitude 115.5521.47868 N 45.79152.24 NAD 83/WGS 84
Issued by Water Resources _____ Parcel No. _____

3 Injection Well TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? NO
If yes, what is replacement well NO? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? 89381

4 EXISTING WELL CONSTRUCTION
Depth Drilled 1050' Feet Depth Cased 1050' Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6"</u>	<u>12.25</u>	<u>.188</u>	<u>0'</u>	<u>1050'</u>

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations: _____

Existing Perforations:
Type of perforation Vert slot
Size of perforation .125
From 1050' feet to 640' feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Type of perforator used: Air
From 450' feet to 640' feet Number of perfs per linear foot 12
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____

5 WATER LEVEL
Static water level 502' feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature _____ °F Quality _____

8 WELL PLUGGING MATERIALS
Material Used 11 yards Neat Cement
From 1050' feet to 0' feet Pumped Poured
From _____ feet to _____ feet Pumped Poured

6 Additional Notes or Comments
Rig up over IW-11 - Run Drill pipe & Tri. Cone to 1050' - Clean Well - Trip out & put on perforator. Back in well & perf. 450' -> 640' - Double pass. Trip out & take perforator off. Re-enter to 1050' - mix & pump Neat cement & pump in lifts to Surface. 11 yards of Neat cement.

Neat Cement Fluid Weight Thick lbs/gal
Bentonite Grout _____ % bentonite
Date Started 9-25-10
Date Completed 9-27-10

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge
Name Ward Weaver Rimrock Drilling Contractor
Address 2305 Last Chance Rd. ELKO, NV. 89801 Contractor
Nevada contractor's license number issued by the State Contractor's Board 0030630
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1676
Signed Ward Weaver By driller performing actual drilling on-site or contractor
Date 10-16-10