

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 112452
Permit No. 21324 & 16589
Basin 30A

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 65386

1 OWNER KINGS RIVER RANCH ADDRESS AT WELL LOCATION KINGS RIVER RANCH
MAILING ADDRESS 129 KINGS RIVER RD OROVADA NV 89425 129 KINGS RIVER RD OROVADA NV 89425
Subdivision Name: A-3-West County: HUMBOLDT

2 LOCATION NE 1/4 NE 1/4 Sec 22 T 46 N/S R 33 E Latitude N 41° 51' 40.4" UTM E NAD 27
PERMIT/WAIVER No. 21324 AND/OR 16589 Longitude W 118° 15' 00.4" N NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? N.O.
If yes, what is replacement well NOI?
Is there an existing well log? UNKNOWN
If yes, what is NDWR well log #?

4 EXISTING WELL CONSTRUCTION
Depth Drilled 400 Feet Depth Cased 300 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>18</u>		<u>3/16</u>	<u>0</u>	<u>300</u>

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why:
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:

Existing Perforations:

Type of perforation	Size of perforation	From	feet to	feet
<u>SANDST / MILK KNIFE</u>	<u>1/4" x 2"</u>	<u>300</u>	<u>feet to</u>	<u>100</u>

Additional Perforations:

Type of perforator used:	From	feet to	feet	Number of perfs per linear foot
<u>MILK KNIFE</u>	<u>0</u>	<u>feet to</u>	<u>50</u>	<u>4</u>
	<u>100</u>	<u>feet to</u>	<u>200</u>	<u>4</u>

5 WATER LEVEL
Static water level 96 feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
<u>0</u>	<u>feet to</u>	<u>50</u>	<u>NEAT CEMENT</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>400</u>	<u>feet to</u>	<u>50</u>	<u>BENTONITE</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
THIS WELL WAS DRD Hole From 300 TO 400 FT OR SO. THIS IS THE REASON IT TOOK SO MUCH MUD.
630 BAGS T.C. GROUT
13 PALLETTS + 6 BAGS
20 BAGS BENTONITE CHIPS
3/4 MILKMS
46 100# BAG CEMENT
THE WELL HAD WATER RISE IN FROM A BREAK IN THE CASING AT ABOUT 90 FT.

Neat Cement Fluid Weight 12.4-12.6 lbs/gal 76ALS WATER / 100# BAG
Bentonite Grout 30% T.C. % bentonite
Date Started 8/31/10
Date Completed 10/31/10

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name KINGS RIVER RANCH Contractor
Address 129 KINGS RIVER ROAD Contractor
OROVADA, NV. 89425
Nevada contractor's license number
Issued by the State Contractor's Board
Nevada driller's license number issued by the
Division of Water Resources, the on-site driller 1712
Signed Mike McRinch
By driller performing actual drilling on site or contractor
Date 12/1/10