

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
 WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
 Log No. 112547
 Permit No. _____
 Basin 083

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 64990

1 OWNER Reno Engineering Corporation ADDRESS AT WELL LOCATION _____
 MAILING ADDRESS 8725 Technology Way, Ste. B Off USA Parkway
Reno, NV 89502 Subdivision Name: _____ County: Storey

2 LOCATION NE SW 1/4 Sec 20 T 19N N/S R 23 E Latitude 39.49633 UTM E NAD 27
 PERMIT/WAIVER No. w-633d 4-171-06 10 Longitude 119.42734 N NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? no Is there an existing well log? yes
 Domestic Irrigation Test Municipal/Industrial Monitor Stock If yes, what is replacement well NOI? _____ If yes, what is NDWR well log #? unknown

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 1000 Feet Depth Cased 0 Feet
 EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no
 If well was not cleaned out to total depth, please explain why: _____
 Was the well contaminated? yes no
 Was the casing pulled? yes no
 Was the casing over drilled? yes no
 If casing was left in place, please show where additional perforations were made:
 Additional Perforations: _____

Existing Perforations:
 Type of perforation none
 Size of perforation none

From	feet to	feet	feet
<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

Type of perforator used: none

From	feet to	feet	Number of perfs per linear foot
<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>

5 WATER LEVEL
 Static water level dry feet below land surface
 Artesian flow _____ G.P.M. P.S.I.
 Water temperature _____ ° F Quality _____

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<u>1000</u>	<u>20</u>	<u>20</u>	<u>bentonite grout</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>20</u>	<u>0</u>	<u>0</u>	<u>neat cement</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
drilling mud level was at 100 feet
NAD-27 GPS 39,496,416°N
119,426,332°W

Neat Cement Fluid Weight 15.5 lbs/gal
 Bentonite Grout 20% % bentonite
 Date Started 11/7/2010
 Date Completed 11/8/2010

Waiver # w-633d
 Plugging of Well Log 112542

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
 Name McKay Drilling, Inc. Contractor
 Address 4850 Joule St. A5 Reno, NV 89502 Contractor
 Nevada contractor's license number 14170
 issued by the State Contractor's Board
 Nevada driller's license number issued by the 2121
 Division of Water Resources, the on-site driller
 Signed Steve McKay
 By driller performing actual drilling on site or contractor
 Date Dec. 1, 2010