

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. **112597**
Permit No. **49924**
Basin **153**

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **66358**

1 OWNER **A&K Earthmovers, Inc** ADDRESS AT WELL LOCATION **Diamond Valley**
MAILING ADDRESS **P.O. Box 1056** **Eureka, NV 89316**
Fallon, NV 89407 Subdivision Name: _____ County: **Eureka**

2 LOCATION **SW** SE 1/4 Sec 29 T 20N N/S R 53 E Latitude **39.56187 N** UTM E NAD 27
PERMIT/WAIVER No. **49924** Longitude **-116.02228 W** N NAD 83/WGS 84
Issued by Water Resources Parcel No. _____

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? **No** Is there an existing well log? **yes**
 Domestic Irrigation Test Municipal/Industrial Monitor Stock If yes, what is replacement well NO? _____ If yes, what is NDWR well log #? **24652**

4 EXISTING WELL CONSTRUCTION
Depth Drilled **400** Feet Depth Cased **400** Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8	16.94	.188	0	400

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations:
Type of perforator used: **Mill Knife**

Existing Perforations:				
Type of perforation	Size of perforation	Torch Cut	From	To
		3/16 X 6		
From 200	feet to		400	feet
From	feet to			feet
From	feet to			feet
From	feet to			feet
From	feet to			feet

Type of perforator used:	From	To	Number of perfs per linear foot
Mill Knife	100	200	4

5 WATER LEVEL
Static water level **210** feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature **Unknown** °F Quality **Unknown**

8 WELL PLUGGING MATERIALS

From	To	Material Used	
From 0	feet to 50	Neat Cement	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
From 50	feet to 400	20% Grout	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
From	feet to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From	feet to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From	feet to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From	feet to		<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

6 Additional Notes or Comments

Pumped 20% grout from bottom of well to 50' and Neat cement from 50' to surface.

Neat Cement Fluid Weight **15.6** lbs/gal
Bentonite Grout **20%** % bentonite
Date Started **12/21/2010**
Date Completed **12/23/2010**

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name **Parsons Drilling, Inc.** Contractor
Address **P.O. Box 1265** Contractor
Fallon, NV 89407-1265
Nevada contractor's license number issued by the State Contractor's Board **29064**
Nevada driller's license number issued by the Division of Water Resources, the on-site driller **1753**
Signed **Wagner**
Date **12/23/2010**

RECEIVED
2011 JAN -5 AM 10:46
STATE ENGINEERS OFFICE

Plugging of Well Log 24652
NAD-27 GPS: **39.516942°N**
116.021387°W
NAD-83 GPS: **39.516870°N**
116.022280°W

(Rev. 05-06)

USE ADDITIONAL SHEETS IF NECESSARY