

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 113048
Permit No.
Basin 087

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

1 OWNER Nevada Air National Guard
MAILING ADDRESS 4681470R 3500 Fletcher AV Joint Base Andrews, MD 20762
ADDRESS AT WELL LOCATION Nevada Air National Guard, Reno NV
Subdivision Name: County:
NOTICE OF INTENT NO. 66325
2 LOCATION SE 1/4 NE 1/4 Sec 19 T 19 N R 20 E
PERMIT/WAIVER No. 1015-240-34
Latitude Longitude
Parcel No. Issued by Water Resources

3 Extraction TYPE OF WELL Air Sparge
 Domestic Soil Vapor Irrigation Test
 Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? NO
If yes, what is replacement well NO?
Is there an existing well log?
If yes, what is NDWR well log #?

4 EXISTING WELL CONSTRUCTION
Depth Drilled 25 Feet Depth Cased 25 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
1		Schedule 40	0	25

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why:
To limit waste to be disposed
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:
Additional Perforations:
Type of perforator used:
From _____ feet to _____ feet Number of perms per linear foot
From _____ feet to _____ feet Number of perms per linear foot
From _____ feet to _____ feet Number of perms per linear foot
From _____ feet to _____ feet Number of perms per linear foot
From _____ feet to _____ feet Number of perms per linear foot
From _____ feet to _____ feet Number of perms per linear foot

Existing Perforations:
Type of perforation slotted
Size of perforation 5/20

From	Size of perforation	feet to	feet
From	23	feet to	25
From		feet to	feet
From		feet to	feet
From		feet to	feet

5 WATER LEVEL
Static water level 8 ft feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature °F Quality

6 Additional Notes or Comments
Abandonment method
1) Backhammer out well logs
2) Air lift to STA BGS
3) Knock out bottom of well
4) Remove grout
5) Pressure grout @ 25 psi for 10min
6) Pull casing
7) Top off wells with cement
8) concrete surface patch

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input checked="" type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From 0	feet to 25	feet	Cement	<input checked="" type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From _____	feet to _____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

Neat Cement Fluid Weight 94 lbs/gal 5 gal
Bentonite Grout % bentonite
Date Started September 20th, 2010
Date Completed October 25th, 2010

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge
Name RSI Drilling Contractor
Address 220 W East Street Woodland, CA 95776 Contractor
Nevada contractor's license number
issued by the State Contractor's Board
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2422-M
Signed [Signature]
By water performing actual drilling on site or contractor
Date 9-25-10