

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 113134
Permit No. _____
Basin \$30 A

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 65388 (1)

1 OWNER KINGS RIVER RANCH ADDRESS AT WELL LOCATION KINGS RIVER RANCH
MAILING ADDRESS 129 KINGS RIVER RD 129 KINGS RIVER RD OROVADA
NW OROVADA, NV. 89425 Subdivision Name: Red House N #1 County: HUMBOLDT

2 LOCATION 1/4 NE 1/4 Sec 34 T 46 N S R 33 E Latitude N 41° 49' 46.6" UTM E NAD 27
PERMIT/WAIVER No. _____ Longitude W 118° 15' 04.3" N NAD 83/WGS 84

3 TYPE OF WELL Domestic Irrigation Test Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? NO
Is there an existing well log? UNKNOWN
If yes, what is replacement well NOI? _____ If yes, what is NDWR well log #? _____

4 EXISTING WELL CONSTRUCTION

Depth Drilled	Feet	Depth Cased	Feet
		110	

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
12		250	0	110

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: BREAK IN CASING AT ABOUT 90 FT. WENT BY TO 110' AFRAID OF GETTING STUCK
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations:
Type of perforation UNKNOWN
Size of perforation _____
From _____ feet to _____ feet
From _____ feet to _____ feet

Additional Perforations:
Type of perforator used: MILLS KNIFE
From 80 feet to 5 feet Number of perfs per linear foot 4
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____

5 WATER LEVEL
Static water level 37 feet below land surface
Artesian flow ~ G.P.M. _____ P.S.I. _____
Water temperature 60.01 °F Quality GOOD

8 WELL PLUGGING MATERIALS
Material Used
From 110 feet to 45 feet T.C. GROUT Pumped Poured
From _____ feet to _____ feet Pumped Poured
From 46 feet to 5 feet HEAT CEMENT Pumped Poured
From _____ feet to _____ feet Pumped Poured
From _____ feet to _____ feet Pumped Poured
From _____ feet to _____ feet Pumped Poured

6 Additional Notes or Comments
73 BAG T.C. GROUT TO GET TO 46
38 BAGS OF HEAT CEMENT TO 5 FT
CASING WAS PRETTY HOTTEN BELOW ABOUT 40' PERFORATOR HUNG A LITTLE

Neat Cement Fluid Weight 12.4-12.6 lbs/gal 762 / SACK CEMENT
Bentonite Grout 30% TC % bentonite
Date Started 1-20-11
Date Completed 2-4-11

WELL MIGHT HAVE HAD A LITTLE SURFACE SEAL PERFORATED ANYWAY SEEMED TO TAKE ALOT OF CEMENT
41.829714°N NAD27
118.250204°W
STATE ENGINEERS OFFICE
2011 FEB 22 AM 11:56

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name KINGS RIVER RANCH American
Address 129 KINGS RIVER RD. Drilling
OROVADA, NEVADA 89425
Nevada contractor's license number issued by the State Contractor's Board 73391
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1712
Signed Mike McIninch
Date 2/16/11