

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 113436
Permit No. 46722
Basin φ29

**PRINT OR TYPE ONLY
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 66851

1 OWNER Egger Enterprises, LLC
MAILING ADDRESS High Desert Farm Hwy 140

ADDRESS AT WELL LOCATION Winnemucca, NV 89445
Subdivision Name: _____ County: _____

2 LOCATION NW ¼ NE ¼ Sec 28 T 44N N/S R 31 E
PERMIT/WAIVER No. 46722 / 13314
Issued by Water Resources Parcel No.

Latitude 41deg 39.89min N UTM E NAD 27
Longitude 118deg 30.509min W N NAD 83/WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? Yes
If yes, what is replacement well NOI? _____
Is there an existing well log? Yes
If yes, what is NDWR well log #? 20973

4 EXISTING WELL CONSTRUCTION
Depth Drilled 324 Feet Depth Cased 324 Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
16in		.250 in	+1ft	324ft

If well was not cleaned out to total depth, please explain why: Casing collapsed at 132ft. Well backfilled to that depth. Tools could not be advanced beyond that depth to clean out gravel. Well was sealed from 132 to surface on the inside of casing and from 80ft to surface on the outside casing with concrete grout.
Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations:

Type of perforation	Size of perforation	From	To

Additional Perforations:

Type of perforator used: NA

From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot

5 WATER LEVEL
Static water level 165 feet below land surface
Artesian flow NA G.P.M. P.S.I.
Water temperature Cool °F Quality Good

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	Pumped	Poured
From	0	132	Concrete	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From	feet to	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From	feet to	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From	feet to	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From	feet to	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From	feet to	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments

When the casing collapsed the ground caved in to 80ft on the outside of the casing leaving a large annulus which was filled

RECEIVED
2011 MAR 28 AM 11:53
STATE ENGINEER'S OFFICE

Neat Cement Fluid Weight _____ lbs/gal
Bentonite Grout _____ % bentonite
Date Started 2/18/2011
Date Completed 2/18/2011

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name AMS Enterprises Contractor
Address 399 Denio Hwy 140 Contractor
Winnemucca, NV 89445
Nevada contractor's license number _____
issued by the State Contractor's Board 58683
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2140
Signed [Signature]
By driller performing actual drilling on site or contractor
Date 3/23/11

(Rev. 05-06) USE ADDITIONAL SHEETS IF NECESSARY

41,664935° N
118.507485° W
NAD 27 (TA)