

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 113862
Permit No. _____
Basin 53

**PRINT OR TYPE ONLY
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 66485

1 OWNER FASKIN OIL & RANCH LTD
MAILING ADDRESS 303 W. WALL AVENUE #1800
MIDLAND, TX 79701

ADDRESS AT WELL LOCATION PAPOOSE CANYON
APPROXIMATELY 500' EAST UP THE ACCESS ROAD FROM SR 278
Subdivision Name: BLM LAND County: EUREKA

2 LOCATION NW 1/4 SE 1/4 Sec 16 T 29N N/S R 52 E
PERMIT/WAIVER No. OG - 260A
Issued by Water Resources Parcel No.

Latitude UTM E 11T 0575372 NAD 27
Longitude N 4471581 NAD 83/WGS 84

(oil + gas exploration)

TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? NO
If yes, what is replacement well NO#?

Is there an existing well log? YES
If yes, what is NDWR well log #? 110465

4 EXISTING WELL CONSTRUCTION
Depth Drilled _____ Feet Depth Cased _____ Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8 5/8	17	.188	+2	600

If well was not cleaned out to total depth, please explain why:

Existing Perforations:

Type of perforation	Size of perforation	MACHINE MILLED
From 200 feet to 220 feet	3/16" X 3", 16 ROWS	
From 240 feet to 260 feet		
From 280-300, 320-340 feet to 380-380 feet		
From 400-420, 440-460 feet to 480-500 feet		
From 520-540 feet to 580-580 feet		

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

If casing was left in place, please show where additional perforations were made:

Additional Perforations:

Type of perforator used:	HOLTZ PERF TOOL
From 100 feet to 200 feet	Number of perfs per linear foot <u>5</u>
From 220 feet to 240 feet	Number of perfs per linear foot <u>5</u>
From 260 feet to 280 feet	Number of perfs per linear foot <u>5</u>
From 300 feet to 320 feet	Number of perfs per linear foot <u>5</u>
From 340 feet to 360 feet	Number of perfs per linear foot <u>5</u>
From 380 feet to 400 feet	Number of perfs per linear foot <u>5</u>

5 WATER LEVEL
Static water level 33 feet below land surface
Artesian flow NO G.P.M. _____ P.S.I. _____
Water temperature 62 °F Quality GOOD

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments
ADDITIONAL PERFORATIONS DONE TO RIP CASING
420-440 5 PER LINEAR FOOT
460-480 5 PER LINEAR FOOT
500-520 5 PER LINEAR FOOT
540-560 5 PER LINEAR FOOT
580-600 5 PER LINEAR FOOT
EACH OF THE 5 ROWS WERE RIPPED CONTINUES PER FT

From	feet to	Material Used	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From 3	feet to 600	NEAT CEMENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>
From _____	feet to _____	_____	<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight 13.5 lbs/gal
Bentonite Grout _____ % bentonite
Date Started 4-May-11
Date Completed 6-May-11

DUG DOWN 3' DEEP AROUND THE CASING AND CUT THE CASING OFF AT CEMENT LEVEL INSIDE OF CASING

STATE ENGINEER'S OFFICE
2011 MAY 17 11:59 AM

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name HACKWORTH DRILLING INC
Contractor

Address P. O. BOX 850
Contractor

ELKO, NV 89803

Nevada contractor's license number 020582
issued by the State Contractor's Board

Nevada driller's license number issued by the 1653
Division of Water Resources, the on-site driller

Signed [Signature]
By driller performing actual drilling on site or contractor

Date 6-May-11

USE ADDITIONAL SHEETS IF NECESSARY

MKT

40.393319°N
116.111920°W