

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**  
Log No. 115214  
Permit No. \_\_\_\_\_  
Basin 087

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 67776 ✓

1 OWNER Washoe County Department of Water Resources ADDRESS AT WELL LOCATION 111 Morill Road  
MAILING ADDRESS 4930 Energy Way Reno, NV. 89502 Car Wash M.D. Reno, NV.  
Subdivision Name: \_\_\_\_\_ County: Washoe

2 LOCATION SE ¼ NW ¼ Sec 12 T 19N N/S R 19 E Latitude 39.53 N UTM E  NAD 27  
PERMIT/WAIVER No. 008-360-07 Longitude 119.80 W N  NAD 83/WGS 84  
Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? no  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? yes  
If yes, what is NDWR well log #? 101459

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 50 Feet Depth Cased 48 Feet  
EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2</u>	<u>sch.40</u>	<u>.308</u>	<u>0</u>	<u>48</u>

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:

Existing Perforations:  
Type of perforation mill slot  
Size of perforation 0.01

From	feet to	feet
<u>28</u>	<u>48</u>	

Type of perforator used:  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 35.3 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ ° F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	feet to	Material Used	neat cement	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
<u>48</u>	<u>surface</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Installed 1" pvc tremme pipe to 46'. Mixed 2 bags pf Portland Type II cement with approx. 10 gallons of water and pumped into well from bottom to surface. Removed protective cover from well and cut casing off to ground level.

Neat Cement Fluid Weight 14 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 3/28/2012  
Date Completed 3/28/2012

STATE ENGINEERS OFFICE  
2012 MAY 10 AM 11:15  
RECEIVED

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Carson Pump, LLC Contractor  
Address P.O. Box 20159 Contractor  
Carson City, NV. 89721  
Nevada contractor's license number \_\_\_\_\_  
issued by the State Contractor's Board 39920  
Nevada driller's license number issued by the \_\_\_\_\_  
Division of Water Resources, the on-site driller 1482  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 4/18/2012

USE ADDITIONAL SHEETS IF NECESSARY

39.530102° N NAD27  
119.80157° W