

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 116094
Permit No. 20928, 29622
Basin 103

**PRINT OR TYPE ONLY
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 69825

1 OWNER GARY LEISS *Garry Leiss / G.M.G. Development, LLC* ADDRESS AT WELL LOCATION 6100 BOYER LANE
MAILING ADDRESS 1715 4714 N. BENTON RD GARDNERVILLE, NV 89410 *Minden* STAGECOACH, NV 89429
Subdivision Name: _____ County: Lyon

2 LOCATION NW 1/4 NW 1/4 Sec 10 T 17N N/S R 23 E Latitude 39.360407°N UTM E NAD 27
PERMIT/WAIVER No. 20928 & 29622 015-761-43 Longitude 119.39792°W N NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL Domestic Irrigation Test Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? NO
Is there an existing well log? YES
If yes, what is replacement well NO? _____ If yes, what is NDWR well log #? 8912
29622

4 EXISTING WELL CONSTRUCTION

Depth Drilled 320 Feet Depth Cased 234 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>10 5/8</u>	<u>15.62</u>	<u>.188</u>	<u>0</u>	<u>234</u>

7 WELL PLUGGING PROCEDURE

Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations:

Type of perforation	Size of perforation	From	To
<u>N/A</u>	<u>N/A</u>	<u> </u>	<u>234</u>

Additional Perforations:

Type of perforator used:				MILLS KNIFE	
From	feet to	feet	Number of perfs per linear foot	From	feet to
<u>50</u>	<u>182</u>	<u> </u>	<u>8</u>		

5 WATER LEVEL

Static water level 92.8 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature N/A °F Quality N/A

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	Pumped	Poured
<u>0</u>	<u>85</u>	<u> </u>	<u>NEAT CEMENT</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>85</u>	<u>320</u>	<u> </u>	<u>BENTONITE PELLETS</u>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>
				<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

TAGGED WELL DEPT TO 320'. PLACED BENTONITE CHIPS
FROM BOTTOM OF WELL TO BOTTOM OF CASING AND
LET HYDRATE FOR 24 HRS. TAGGED TOP OF BENTONITE
AND PLACED MORE BENTONITE CHIPS FROM 147'
TO ABOUT 85' THEN PUMPED NEAT CEMENT TO SURFACE

Neat Cement Fluid Weight 94/4 lbs/gal
Bentonite Grout _____ % bentonite
Date Started 01/03/2013
Date Completed 01/10/2013

RECEIVED
2013 JAN 22 AM 11:17
STATE ENGINEERS OFFICE
NAD 27
39.360492°N
119.396918°W

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name CAPITAL CITY WELL DRILLING AND PUMP SERVICE INC.
Contractor
Address 20 KIT KAT DRIVE
Contractor
CARSON CITY, NV 89706

Nevada contractor's license number 0055548
issued by the State Contractor's Board
Nevada driller's license number issued by the 1905
Division of Water Resources, the on-site driller

Signed [Signature]
By driller performing actual drilling on site or contractor
Date 01/14/2013