

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY  
Log No. 116263  
Permit No. \_\_\_\_\_  
Basin 084

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 69110A

1. OWNER The Boeing Company ADDRESS AT WELL LOCATION 2700 Right Hand Canyon Rd.  
MAILING ADDRESS 6633 Canoga Ave Reno, NV 89510  
Canoga Park, CA 91309 Subdivision Name: \_\_\_\_\_ County: Washoe

2. LOCATION SW¼SE¼ Sec 18 T22N R22E Latitude 39.76986 UTM E  NAD 27  
M/O 431-B Longitude 119.55078 N  NAD 83/WGS 84  
PERMIT/WAIVER NO. C-7A Parcel No. 77-130-11  
*Issued by Water Resources*

3. TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled?  Yes  No  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log?  Yes  No  
If yes, what is NDWR well log #? 48754

4. EXISTING WELL CONSTRUCTION  
Depth Drilled 54 Feet Depth Cased 53.5 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4.5 PVC		SCH 40	0	53.5

Existing Perforations:  
Type of perforation Factory  
Size of perforation .020  
From 28 feet to 53.5 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

5. WATER LEVEL  
Static water level: 35 feet below land surface  
Artesian flow: \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water Temperature: n/k °F Quality not known

6. Additional Notes or Comments  
Facility ID # D-000544

*Plug well log No.*

RECEIVED  
2012 MAY 31 AM 10:5-  
STATE ENGINEERS OFFICE

7. WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  Yes  No  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  Yes  No  
Was the casing pulled?  Yes  No  
Was the casing over drilled?  Yes  No  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used:  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

8. WELL PLUGGING MATERIALS  
Material Used  
From 53.5 feet to 20 feet Ben/Chip  Pumped  Poured  
From 20 feet to 0 feet Neat C  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet \_\_\_\_\_  Pumped  Poured

Neat Cement Fluid Weight 15.5 lbs/gal  
Bentonite Grout 80 % bentonite

Date Started 5-18-12  
Date Completed 5-23-12

9. DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Bruce MacKay Pump & Well Service, Inc.  
(CONTRACTOR)

Address 1600 Mt. Rose Hwy  
(CONTRACTOR)  
Reno, NV 89511  
Nevada contractor's license number issued by the State Contractor's Board 23096  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1790

Signed R. Bruce MacKay  
By driller performing actual drilling on site or contractor  
Date 5-25-12

(Rev 05-08) USE ADDITIONAL SHEETS IF NECESSARY  
39.769951° N  
119.549765° W  
N4027