

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 116352
Permit No. 46723
Basin 029

**PRINT OR TYPE ONLY
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 67121

1 OWNER Egger Enterprises, LLC
MAILING ADDRESS 396 Hwy 140, Winnemucca, NV 89445

ADDRESS AT WELL LOCATION MM 44, Hwy 140

Subdivision Name: _____ County: Humboldt

2 LOCATION SW 1/4 NW 1/4 Sec 27 T 44N N/S R 31 E
PERMIT/WAIVER No. 46723
Issued by Water Resources Parcel No.

Latitude 41-39.608 UTM E NAD 27
Longitude 118-30.172 N NAD 83/WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? Yes
If yes, what is replacement well NOR? 67120
Is there an existing well log? Yes
If yes, what is NDWR well log #? 28680

4 EXISTING WELL CONSTRUCTION
Depth Drilled 450 Feet Depth Cased 450 Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
16		.25	0	450

If well was not cleaned out to total depth, please explain why:
A video was run on the well. The perforations were plugged and the well was filled in to 405ft. We attempted to bail and hit an impassable obstruction at 405ft. The owner did not wish to work on the well further. It was abandoned.

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations:

Type of perforation	Size of perforation	Mill Slot
From	<u>150</u> feet to	<u>450</u> feet
From	feet to	feet
From	feet to	feet
From	feet to	feet
From	feet to	feet

Additional Perforations:

Type of perforator used:	Mills Knife
From <u>100</u> feet to <u>150</u> feet	Number of perfs per linear foot <u>4</u>
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot

5 WATER LEVEL
Static water level 166 feet below land surface
Artesian flow NA G.P.M. P.S.I.
Water temperature Cool °F Quality Good

8 WELL PLUGGING MATERIALS

From	feet to	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>100</u>	feet to <u>405</u>	Cement/sand Grout	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From <u>0</u>	feet to <u>100</u>	Concrete	<input type="checkbox"/>	<input checked="" type="checkbox"/>
From	feet to		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to		<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Plugs well log # 28680

2012 SEP - 6 AM 11:30
 STATE ENGINEERS OFFICE

Neat Cement Fluid Weight _____ lbs/gal
Bentonite Grout _____ % bentonite
Date Started 4/23/2012
Date Completed 4/23/2012

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name AMS Enterprises Contractor
Address 399 Hwy 140, Winnemucca, NV 89445 Contractor

Nevada contractor's license number issued by the State Contractor's Board 58683
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2140

Signed TEROD JOHNSON By driller performing actual drilling on site of contractor
Date 5/14/2012

41.660235 °N
118.501869 °W NA027

USE ADDITIONAL SHEETS IF NECESSARY