

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 116461  
Permit No. 58355  
Basin 661

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 687461

1 OWNER BARRICK GOLDSTRIKE ADDRESS AT WELL LOCATION BARRICK GOLDSTRIKE MINESITE  
MAILING ADDRESS PO BOX 29 ELKO, NV 89803  
Subdivision Name: County: EUREKA

2 LOCATION SE 1/4 SE 1/4 Sec 19 T 36N N/S/R 50 E Latitude UTM E 11T0554186 X  NAD 27  
PERMIT/WAIVER No. 58355 N/A Longitude N 4536264  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? NO  
If yes, what is replacement well NO?  
Is there an existing well log? YES  
If yes, what is NDWR well log #? 64697

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 820 Feet Depth Cased 801 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8 5/8	22.36	.250	0	20
4 5/8	10.79	.250	0	18.6

Existing Perforations:

Type of perforation	Size of perforation	From	To
MILL SLOT	0.125	118'6"	801
		feet to	feet

5 WATER LEVEL  
Static water level 368 feet below land surface  
Artesian flow G.P.M. P.S.I.  
Water temperature ° F Quality

6 Additional Notes or Comments

RAN 2" TRIMMY PIPE TO 800'. THE STATIC LEVEL WAS 725'  
PULLED BACK UP PUMPING THE ABANDONMENT SLURRY  
TO 20' AND NEAT CEMENT TO SURFACE

MIXED 400 GALLONS OF WATER TO 15 BAGS (50LBS EA)  
OF SUPER PLUG & 15 BAGS (100LBS EA) OF BARITE  
USED 700 GALLONS OF SLURRY AND RAN 2" TRIMMY  
PIPE AND PUMP NEAT CEMENT FROM 20' TO SURFACE

WEIGHT: 10.3LBS PER GAL

Plugged well log # 64697

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why:

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:

Type of perforator used:

From	To	Type of perforator used	Number of perfs per linear foot
feet to	feet		

8 WELL PLUGGING MATERIALS

From	To	Material Used	Pumped	Poured
801	20	BENTONITE/BARITE	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20	0	NEAT CEMENT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight lbs/gal  
Bentonite Grout % bentonite  
Date Started 12/21/2011  
Date Completed 12/21/2011

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name ROBERT OESCHGER Contractor  
Address 5905 SKY TERRACE CT Contractor  
RENO, NV 89511  
Nevada contractor's license number issued by the State Contractor's Board 0048915A  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1670  
Signed [Signature] By driller performing actual drilling on site or contractor  
Date 12-21-2011

USE ADDITIONAL SHEETS IF NECESSARY

STATE ENGINEER

APR 10 2012

FACSIMILE RCVD

(Rev. 05-06)


40.977651° N  
116.355944° W  
NA0027

# WELL COMPLETION DIAGRAM

VD 96-11


N. S. VALENZUELA  
14-DECEMBER-96

LANG	LK-24
HOLE SIZE	77/8"
START DRILLING	05-December-96
FINISH DRILLING	07-December-96
HOLE COMPLETE	10-December-96



SE of SE	
Sec. 19	T36N, R50E
EUREKA COUNTY	

PERMIT # 58355

	CEMENT
	GRAVEL

MONITOR PIPE  
NONE

GRAVEL  
SRI 1/4"

WATER TEMPERATURE  
\_\_\_ deg. F

STATIC WATER LEVEL  
628.1 ft.

COORDINATES  
10901.542 NORTH  
15375.968 EAST

TEST RESULTS  
27.9 ft of drawdown, pumping  
0.7 gpm in 1 hr.  
14.1 ft of recovery in 1 hr.

STATE ENGINEER

APR 10 2012

FACSIMILE RCVD