

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**

Log No. 117111

Permit No. \_\_\_\_\_

Basin 212

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 36609

1 OWNER Vegas Construction LLC ADDRESS AT WELL LOCATION 2308 S. Las Vegas Blvd  
 MAILING ADDRESS 9803 San Fernando Rd SVE-5 Las Vegas  
Pacolma, CA 91331-2604 Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION SE ¼ SE ¼ Sec 4 T 21S N/S R 61 E Latitude 36 08'43.29"N UTM E  NAD 27  
 PERMIT/WAIVER No. 162-04-813-110 Longitude 115 09'24.25"W N  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? NO Is there an existing well log? N/A  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
 Depth Drilled N/A Feet Depth Cased 11 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2.375		Sch 40	0	11

Existing Perforations:

Type of perforation	Factory Slotted
Size of perforation <u>1</u> feet to <u>11</u> feet	<u>0.02</u>
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____
From _____ feet to _____ feet	_____

5 WATER LEVEL  
 Static water level N/A feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

6 Additional Notes or Comments  
Knocked out bottom, Tremie neat cement from bottom up  
Pull casing, top off as needed, concrete cap

7 WELL PLUGGING PROCEDURE  
 Was well cleaned out to total depth?  yes  no  
 If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
 Was the casing pulled?  yes  no  
 Was the casing over drilled?  yes  no  
 If casing was left in place, please show where additional perforations were made:  
 Additional Perforations: \_\_\_\_\_  
 Type of perforater used: N/A  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	feet to	Material Used	
From <u>1</u> feet to <u>11</u> feet		Cement	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
From <u>0</u> feet to <u>1</u> feet		Concrete	<input type="checkbox"/> Pumped <input checked="" type="checkbox"/> Poured
From _____ feet to _____ feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____ feet to _____ feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____ feet to _____ feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From _____ feet to _____ feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

Neat Cement Fluid Weight 94/5.2 lbs/gal  
 Bentonite Grout \_\_\_\_\_ % bentonite  
 Date Started 12-Feb  
 Date Completed 2/12/2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
 Name Cascade Drilling L.P. Contractor  
 Address 4590 Copper Sage St Contractor  
Las Vegas, NV 89115  
 Nevada contractor's license number issued by the State Contractor's Board C23-0073966  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2381  
 Signed [Signature]  
 Date 2-27-13  
By driller performing actual drilling on site or contractor

(Rev. 05-06) USE ADDITIONAL SHEETS IF NECESSARY

DCNR/DWR/SNBO RECEIVED  
 MAR 01 2013  
 36.1453583 NAD 27  
 -115.1567361