

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 115422  
Permit No. \_\_\_\_\_  
Basin 661

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 68744

1 OWNER **BARRICK GOLDSTRIKE** ADDRESS AT WELL LOCATION **BARRICK GOLDSTRIKE MINESITE**  
MAILING ADDRESS **PO BOX 29**  
**ELKO, NV 89803** Subdivision Name: \_\_\_\_\_ County: **EUREKA**

2 LOCATION **NW 1/4 NE 1/4 Sec 19 T 36N N/S R 50 E** Latitude **UTM E 11T0553455**  NAD 27  
PERMIT/WAIVER No. **M/O 441A** **N/A** Longitude **N 4537438**  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? **NO** Is there an existing well log? **YES**  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
If yes, what is replacement well NOI? \_\_\_\_\_ If yes, what is NDWR well log #? **64199**

4 EXISTING WELL CONSTRUCTION  
Depth Drilled **660** Feet Depth Cased **19** Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
7.625	24	.250	0	19

Existing Perforations:  
Type of perforation \_\_\_\_\_  
Size of perforation \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no

If well was not cleaned out to total depth, please explain why:  
**WENT TO CARSON AND VISITED WITH MATT WITH THE NV DEPT OF WATER RESOURCES. THE CONSENSUS WAS TO CUT THE WIRE AND MOVE ON. THE WELL WAS DESIGNED TO BE AN ABANDONED WELL**

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level **0** feet below land surface  
Artesian flow **0** G.P.M. **0** P.S.I.  
Water temperature **N/A** °F Quality **N/A**

8 WELL PLUGGING MATERIALS

Material Used

From	feet to	Material	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
N/A	N/A	N/A	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

**CUT THE WIRE AT SURFACE AND CASING AT GROUND LEVEL AS THE WELL WAS ORIGINALLY DESIGNED TO BE AN ABANDONED WELL**

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started **12/18/2011**  
Date Completed **12/19/2011**

**STATE ENGINEER**  
**APR 10 2012**  
**FACSIMILE ROAD**  
*plugs well log 64199*

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name **ROBERT OESCHGER** Contractor  
Address **5905 SKY TERRACE CT** Contractor  
**RENO, NV 89511**  
Nevada contractor's license number issued by the State Contractor's Board **0048915A**  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller **1670**  
Signed \_\_\_\_\_  
By driller performing actual drilling on site or contractor  
Date **12-19-2011**

(Rev. 05-06)

USE ADDITIONAL SHEETS IF NECESSARY

**40.988275° N**  
**116.364531° W**  
**NAD27**

NAD-27


09/14/96

CUT WIRE AT SURFACE  
CUT OFF CASING AT GROUND LEVEL

**WELL DIAGRAM**  
**PZ 96-4**  
**(RPP-C SITE)**  
**MULTI POINT TRANSDUCER**

N, S. VALENZUELA  
14-SEPTEMBER-96

Drawing Not  
To Scale



STATE ENGINEER

APR 19 2012

FACSIMILE RCVD

WHITE-DIVISION OF WATER RESOURCES  
CANARY-CLIENT'S COPY  
PINK-WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S REPORT

OFFICE USE ONLY

Log No. \_\_\_\_\_  
Permit No. \_\_\_\_\_  
Basin. \_\_\_\_\_

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 29452

1. OWNER BARRICK GOLDSTRIKE ADDRESS AT WELL LOCATION BARRICK GOLDSTRIKE MINE  
 MAILING ADDRESS P.O. BOX 29  
ELKO, NV 89801

2. LOCATION NW 1/4 NE 1/4 Sec 19 T. 36 N. S. R. 50 E EUREKA County  
 PERMIT NO. M/O 441A N/A N/A  
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED  New Well  Replace  Recondition  Deepen  Abandon  Other \_\_\_\_\_

4. PROPOSED USE  Domestic  Municipal/Industrial  Irrigation  Monitor  Test  Stock

5. WELL TYPE  Cable  Air  Rotary  RVC  Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
CARLIN FORMATION		0	160	160
CLAY, SAND, GRAVEL				
GRAVELS	10 GPM	160	190	30
CARLIN	20 GPM	190	340	150
CLAYS, GRAVELS, SAND	80 GPM	340	500	160
CARLIN, BLACK, BROWN, GREEN	100 GPM	500	610	110
BROWN, SANDY VINNINI	100 GPM	610	660	50

8. WELL CONSTRUCTION  
 Depth Drilled 660 Feet Depth Cased 19 Feet

HOLE DIAMETER (BIT SIZE)  
 From To  
12-1/4 Inches 0 Feet 19 Feet  
6-1/4 Inches 19 Feet 660 Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
7.625	24	.250	0	19

GRAVEL PERFORMED NO WELL PIPE RAN  
~~PERFORMED~~ ~~PERFORMED~~ ~~PERFORMED~~ ~~PERFORMED~~ ~~PERFORMED~~ ~~PERFORMED~~  
 TRANSUDER WELL  
 GRAVELS (WITH TRANSUDER)  
 From 498.4 feet to 502.9 feet  
 From 406.7 feet to 409.8 feet  
 From 358.8 feet to 363.4 feet  
 From 222.7 feet to 225.0 feet  
 From 192.0 feet to 198.8 feet

Surface Seal:  Yes  No Seal Type:  Neat Cement  Cement Grout  Concrete Grout  
 Depth of Seal 104 FEET  
 Placement Method:  Pumped  Poured  
 Gravel Packed:  Yes  No  
 From SEE ABOVE feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level 158.2 (OPEN HOLE) feet below land surface  
 Artesian flow N/A G.P.M. N/A P.S.I.  
 Water temperature 70 °F Quality FAIR

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name LANG EXPLORATORY DRILLING Contractor  
 Address 2286 WEST 1500 SOUTH Contractor  
SALT LAKE CITY, UTAH 84104  
 Nevada contractor's license number issued by the State Contractor's Board 0021976  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1773  
 Signed MARK WAITE *Mark Waite*  
 By driller performing actual drilling on site or contractor  
 Date 9-13-96

Date started SEPTEMBER 9, 1996  
 Date completed SEPTEMBER 13, 1996

7. WELL TEST DATA

TEST METHOD:  Bailer  Pump  Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

STATE ENGINEER  
APR 10 2012  
FACSIMILE RCVD