Page 1 of 3

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 119503
Permit No.
Basin No. 090

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 67171
WELL NAME *(If applicable)*: MW-15

1. OWNER/CLIENT NAME Travel Systems LLC
MAILING ADDRESS Po Box 12309
Zephyr Cove, NV 89448

DETAILED ADDRESS AT WELL LOCATION 760 Highway 50
Zephyr Cove, NV 89448
Subdivision Name: *County:* Douglas

2. PLS LOCATION SE ¼ NW ¼ 10 Sec 13N N/S 18 E
PERMIT/WAIVER NO. MO-1910 *Issued by Water Resources* 1318-10-000-002 *Current Parcel No.*

Latitude 39.0066552 UTM E ☐ NAD 27
Longitude -119.948643 UTM N ☒ NAD 83/WGS 84

3. WORKED PERFORMED
☒ New Well ☐ Deepen: Orig WL#
☐ Replacement: Original well log #
☐ Recondition: Original well log #

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☒ Monitor
☐ Mining / Dewater ☐ Com / Ind ☐ Stock
☐ Test / Other ☐ Mun / QM ☐ Rec

5. WELL TYPE
☒ Auger ☐ Rotary ☐ RVC
☐ Air ☐ Mud ☐ Sonic
☐ Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To	Thickness
Brown Sand			0	49	49

RECEIVED 2013 NOV 20 AM 11:33 STATE ENGINEER'S OFFICE

Nad 27
39.006447°N
119.944416°W

Date started: 14-Oct, 20 13
Date completed: 18-Oct, 20 13

7. WATER QUALITIES
Static water level: 10 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: ° Fahrenheit
Water Quality:

8. WELL TEST DATA
Test Method: ☐ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)

9. WELL CONSTRUCTION
Depth Drilled: 49 Feet Depth Cased: 17' 30.5', 49' Feet

HOLE DIAMETER (BIT SIZE)

		From		To	
12	Inches	0	Feet	49	Feet
	Inches		Feet		Feet
	Inches		Feet		Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2		Sch 40	0	49

PERFORATIONS:
Type of perforation: Slot
Size of perforation: 0.01
From 7 Feet To 17 Feet
From 24.5 Feet To 30.5 Feet
From 45 Feet To 49 Feet

ANNULAR MATERIALS

☐ Sanitary Seal		to	☐ Pumped	☐ Poured
☒ Neat Cement	0	to 5	☐ Pumped	☒ Poured
☐ Cement Grout		to	☐ Pumped	☐ Poured
☐ Concrete Grout		to	☐ Pumped	☐ Poured
☒ Bentonite Chips	5	to 6	☐ Pumped	☒ Poured
☐ Bentonite Grout		to	☐ Pumped	☐ Poured
☐ 15 % ☐ 20 % ☐ Other, explain:				
☐ Gravel Pack [> 0.2 in.]		to	☐ Pumped	☐ Poured
☒ Sand Pack [< 0.2 in.]	6	to 18	☐ Pumped	☒ Poured
☐ Other, explain:		to	☐ Pumped	☐ Poured

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Cascade Drilling, L.P. *Contractor*
Address 3000 Duluth Street West Sacramento, CA 95691 *Contractor*
Nevada contractor's license number as issued by the *State Contractor's Board:* 73966
Nevada well driller's license number as issued by the *Nevada Division of Water Resources (on-site driller):* M-1977
Signed: *By driller performing actual drilling on site or contractor*
Date: 11/12/13

(Rev. 08-12)

USE ADDITIONAL SHEETS IF NECESSARY

Page 2 of 3

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 119403
Permit No.
Basin No. 090

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 67171
WELL NAME *(If applicable)*: MW-15

1. OWNER/CLIENT NAME Travel Systems LLC
MAILING ADDRESS Po Box 12309
Zephyr Cove, NV 89448

DETAILED ADDRESS AT WELL LOCATION 760 Highway 50
Zephyr Cove, NV 89448
Subdivision Name: *County:* Douglas

2. PLS LOCATION SE ¼ NW ¼ 10 Sec 13N N/S 18 E
PERMIT/WAIVER NO. MO-1910 *Issued by Water Resources* 1318-10-000-002 *Current Parcel No.*

Latitude 39.0066552 UTM E ☐ NAD 27
Longitude -119.948643 UTM N ☒ NAD 83/WGS 84

3. WORKED PERFORMED
☒ New Well ☐ Deepen: Orig WL#
☐ Replacement: Original well log #
☐ Recondition: Original well log #

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☒ Monitor
☐ Mining / Dewater ☐ Com / Ind ☐ Stock
☐ Test / Other ☐ Mun / QM ☐ Rec

5. WELL TYPE
☒ Auger ☐ Rotary ☐ RVC
☐ Air ☐ Mud ☐ Sonic
☐ Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To	Thick-ness

Date started: 14-Oct , 20 13
Date completed: 18-Oct , 20 13

RECEIVED 2014 NOV 20 AM 11:23 STATE ENGINEERS OFFICE

9. *WELL CONSTRUCTION*
Depth Drilled: Feet Depth Cased: Feet

HOLE DIAMETER (BIT SIZE)

	From	*To*
Inches	Feet	Feet
Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

PERFORATIONS:
Type of perforation:
Size of perforation:
From Feet To Feet
From Feet To Feet
From Feet To Feet

ANNULAR MATERIALS

☐ Sanitary Seal		to		
☐ Neat Cement		to	☐ Pumped	☐ Poured
☐ Cement Grout		to	☐ Pumped	☐ Poured
☐ Concrete Grout		to	☐ Pumped	☐ Poured
☒ Bentonite Chips	18	to 23	☐ Pumped	☒ Poured
☐ Bentonite Grout		to	☐ Pumped	☐ Poured
☐ 15 % ☐ 20 % ☐ Other, explain:				
☐ Gravel Pack [> 0.2 in.]		to	☐ Pumped	☐ Poured
☒ Sand Pack [< 0.2 in.]	23	to 31.5	☐ Pumped	☒ Poured
☐ Other, explain:		to	☐ Pumped	☐ Poured

7. *WATER QUALITIES*
Static water level: 10 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: ° Fahrenheit
Water Quality:

8. WELL TEST DATA
Test Method: ☐ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Cascade Drilling, L.P. *Contractor*
Address 3000 Duluth Street West Sacramento, CA 95691 *Contractor*
Nevada contractor's license number as issued by the *State Contractor's Board:* 73966
Nevada well driller's license number as issued by the *Nevada Division of Water Resources (on-site driller):* M-1977
Signed: *By driller performing actual drilling on site or contractor*
Date: 11/12/13

(Rev. 08-12)

USE ADDITIONAL SHEETS IF NECESSARY

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 119803
Permit No.
Basin No. 090

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 67171
WELL NAME (If applicable): MW-15

1. OWNER/CLIENT NAME Travel Systems LLC
MAILING ADDRESS Po Box 12309
Zephyr Cove, NV 89448

DETAILED ADDRESS AT WELL LOCATION 760 Highway 50
Zephyr Cove, NV 89448
Subdivision Name: County: Douglas

2. PLS LOCATION SE ¼ NW ¼ 10 Sec 13N N/S 18 E
PERMIT/WAIVER NO. MO-1910 (Issued by Water Resources) 1318-10-000-002 (Current Parcel No.)

Latitude 39.0066552 UTM E ☐ NAD 27
Longitude -119.948643 UTM N ☒ NAD 83/WGS 84

3. WORKED PERFORMED
☒ New Well ☐ Deepen: Orig WL#
☐ Replacement: Original well log #
☐ Recondition: Original well log #

4. PROPOSED USE
☐ Domestic ☐ Irrigation ☒ Monitor
☐ Mining / Dewater ☐ Com / Ind ☐ Stock
☐ Test / Other ☐ Mun / QM ☐ Rec

5. WELL TYPE
☒ Auger ☐ Rotary ☐ RVC
☐ Air ☐ Mud ☐ Sonic
☐ Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To	Thickness

Date started: 14-Oct, 20 13
Date completed: 18-Oct, 20 13

RECEIVED 2013 NOV 20 AM 11:39 STATE ENGINEERS OFFICE

9. WELL CONSTRUCTION
Depth Drilled: Feet Depth Cased: Feet

HOLE DIAMETER (BIT SIZE)

	From	To
Inches	Feet	Feet
Inches	Feet	Feet
Inches	Feet	Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

PERFORATIONS:
Type of perforation:
Size of perforation:
From Feet To Feet
From Feet To Feet
From Feet To Feet

ANNULAR MATERIALS

☐ Sanitary Seal		to		
☐ Neat Cement		to	☐ Pumped	☐ Poured
☐ Cement Grout		to	☐ Pumped	☐ Poured
☐ Concrete Grout		to	☐ Pumped	☐ Poured
☒ Bentonite Chips	31.5	to 44	☐ Pumped	☒ Poured
☐ Bentonite Grout		to	☐ Pumped	☐ Poured
☐ 15 % ☐ 20 % ☐ Other, explain:				
☐ Gravel Pack [> 0.2 in.]		to	☐ Pumped	☐ Poured
☒ Sand Pack [< 0.2 in.]	44	to 49	☐ Pumped	☒ Poured
☐ Other, explain:		to	☐ Pumped	☐ Poured

7. WATER QUALITIES
Static water level: 10 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: ° Fahrenheit
Water Quality:

8. WELL TEST DATA
Test Method: ☐ Bailer ☐ Pump ☐ Air Lift

G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Cascade Drilling, L.P. (Contractor)
Address 3000 Duluth Street West Sacramento, CA 95691 (Contractor)
Nevada contractor's license number as issued by the State Contractor's Board: 73966
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller): M-1977
Signed: (By driller performing actual drilling on site or contractor)
Date: 11/12/13

(Rev. 08-12)

USE ADDITIONAL SHEETS IF NECESSARY