





Page 3 of 4

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 119905
Permit No.
Basin No. 040

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 67172
WELL NAME (If applicable): SL-3

1. OWNER/CLIENT NAME Travel Systems LLC
MAILING ADDRESS Po Box 12309
Zephyr Cove, NV 89448

DETAILED ADDRESS AT WELL LOCATION 760 Highway 50
Zephyr Cove, NV 89448
Subdivision Name:
County: Douglas

2. PLS LOCATION SE 1/4 NW 1/4 10 Sec 13N N/S 18 E
PERMIT/WAIVER NO. MO-1910 1318-10-000-002
Issued by Water Resources Current Parcel No.

Latitude 39.0066168 UTM E
Longitude -119.9486373 UTM N
NAD 27
NAD 83/WGS 84

3. WORKED PERFORMED
[X] New Well [ ] Deepen: Orig WL#
[ ] Replacement: Original well log #
[ ] Recondition: Original well log #

4. PROPOSED USE
[ ] Domestic [ ] Irrigation [ ] Monitor
[ ] Mining / Dewater [ ] Com / Ind [ ] Stock
[X] Test / Other [ ] Mun / QM [ ] Rec

5. WELL TYPE
[X] Auger [ ] Rotary [ ] RVC
[ ] Air [ ] Mud [ ] Sonic
[ ] Other

LITHOLOGIC LOG table with columns: Material Encountered, Lost Circ., Water Strata, From, To, Thickness. Includes a vertical stamp: RECEIVED 2013 NOV 20 AM 11:30 STATE ENGINEERS OFFICE

9. WELL CONSTRUCTION
Depth Drilled: 33.5 Feet
Depth Cased: 15, 21, 29, 34 Feet
HOLE DIAMETER (BIT SIZE) table with From/To columns in inches and feet.

CASING SCHEDULE table with columns: Size O.D. (Inches), Weight/Ft. (Pounds), Wall Thickness (Inches), From (Feet), To (Feet). Rows for 1/2 and 2 inch casings.

PERFORATIONS:
Type of perforation:
Size of perforation:
From To Feet Feet

ANNULAR MATERIALS
[ ] Sanitary Seal to
[ ] Neat Cement to
[ ] Cement Grout to
[X] Bentonite Chips 21.5 to 27.5
[ ] Bentonite Grout to
[ ] 15% [ ] 20% [ ] Other, explain:
[ ] Gravel Pack (> 0.2 in.) to
[X] Sand Pack (< 0.2 in.) 27.5 to 29.5
[ ] Other, explain: to

Date started: 14-Oct, 20 13
Date completed: 18-Oct, 20 13

7. WATER QUALITIES
Static water level: 10 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: ° Fahrenheit
Water Quality:

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Cascade Drilling, L.P. Contractor
Address 3000 Duluth Street West Sacramento, CA 95691 Contractor

8. WELL TEST DATA table with columns: Test Method (Bailer, Pump, Air Lift), G.P.M., Draw Down (Feet Below Static), Recorded Time (Hours).

Nevada contractor's license number as issued by the State Contractor's Board: 73966
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller): M-1977
Signed: [Signature]
Date: 11/21/13
By driller performing actual drilling on site or contractor

