

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
 WELL DRILLER'S PLUGGING REPORT
 MW 4R

OFFICE USE ONLY
 Log No. 121756
 Permit No. _____
 Basin 064

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 71256

1 OWNER NV ENERGY ADDRESS AT WELL LOCATION NV ENERGY N. VALMY
 MAILING ADDRESS 6226 W. SAHARA AVE GENERATING STATION VALMY, NV 89438
MAIL STOP 30 LAS VEGAS NV 89146 Subdivision Name: _____ County: Humboldt
 2 LOCATION NEX 1/4 SE 1/4 Sec 30 T 35 N R 43 E Latitude 40.531976 UTM E _____ NAD 27
 PERMIT/WAIVER No. MD 1968 | 007-351-27 Longitude 117.091095 N _____ NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 Is this well being plugged because a replacement well was drilled? YES
 If yes, what is replacement well NOI? 67308
 Is there an existing well log? NO
 If yes, what is NDWR well log #? _____

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 90 Feet Depth Cased 90 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4"		SCH 80	+ 3	90

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no
 If well was not cleaned out to total depth, please explain why: _____
 Was the well contaminated? yes no
 Was the casing pulled? yes no
 Was the casing over drilled? yes no
 If casing was left in place, please show where additional perforations were made: _____

Existing Perforations:
 Type of perforation 020 FACTORY SLOF
 Size of perforation 020

From	feet to	feet	feet
35	feet to	90	feet
	feet to		feet

Additional Perforations:
 Type of perforator used: _____

From	feet to	feet	Number of perfs per linear foot
	feet to		

5 WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

8 WELL PLUGGING MATERIALS
 Material Used

From	feet to	feet	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
0	feet to	90	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
	feet to		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
	feet to		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
	feet to		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
	feet to		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
	feet to		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments
 - MADE ATTEMPT TO PULL CASING WITH NO SUCCESS
 - RAN TRIMMER PIPE TO BOTTOM A CEMENTED TO SURFACE & PLUGGED AND ADDED 80 PSI HEAD PRESSURE IS MIN WAIT THEN TOPPED OFF TO SURFACE
 NAD 27
 40.888916°N
 117.152098°W

Neat Cement Fluid Weight 94 lbs/gal 6
 Bentonite Grout 5 % bentonite
 Date Started 1-24-15
 Date Completed 1-24-15

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
 Name LAS GADE DRILLING Contractor
 Address 230 E. SYDNEY DR Contractor
MCCARRAN, NV
 Nevada contractor's license number issued by the State Contractor's Board 73960
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2434
 Signed YK Chee By driller performing actual drilling on-site or contractor
 Date 1-24-15