

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
Log No. 122190  
Permit No. \_\_\_\_\_  
Basin No. \_\_\_\_\_

PRINT OR TYPE IN BLACK INK ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37804  
WELL NAME (if applicable): PC-134D

1. OWNER/CLIENT NAME Jacob L Snow- City of Henderson  
MAILING ADDRESS 240 Market Street  
Henderson, NV

DETAILED ADDRESS AT WELL LOCATION Public Right - Away

Subdivision Name: \_\_\_\_\_ County: Clark

2. PLS LOCATION SW 1/4 SE 1/4 36 Sec 21 N6 62 E  
PERMIT/WAIVER NO. 161-36-801-004  
Issued by Water Resources Current Parcel No.

Latitude 36° 4' 17.76" N UTM E  NAD 27  
Longitude 115° 59' 56.34" W UTM N  NAD 83/WGS 84

3. WORKED PERFORMED  
 New Well  Deepen: Orig WL# \_\_\_\_\_  
 Replacement: Original well log # \_\_\_\_\_  
 Recondition: Original well log # \_\_\_\_\_

4. PROPOSED USE  
 Domestic  Irrigation  Monitor  
 Mining / Dewater  Com / Ind  Stock  
 Test / Other  Mun / QM  Rec

5. WELL TYPE  
 Auger  Rotary  RVC  
 Air  Mud  Sonic  
 Other

6. LITHOLOGIC LOG				
Material Encountered	Lost Circ.	Water Strata	From	To
silty sand			0	3
Sand			3	6
Silty sand			6	15
silty sand			15	20
sand			20	28
silty sand			28	30
sand			30	43
clayey silt			43	45
silty clay			45	57
clayey silt			57	60
Silt			60	65
Sandy Silt			65	75
clayey silt			75	78
silty clay			78	85
			85	90

9. INSTRUCTION  
Depth Drilled: 90 Feet Depth Cased: 90 Feet

HOLE DIAMETER (BIT SIZE)			
	From	To	
<u>8 5/8</u> Inches	<u>0</u>	<u>90</u>	Feet
			Feet
			Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>4.500</u>	<u>2.01</u>	<u>0.237</u>	<u>0</u>	<u>90</u>

ANNULAR MATERIALS  
Sanitary Seal  Yes  No  
 Neat Cement 0 to 75  Pumped  Poured  
 Cement Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Concrete Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Bentonite Chips 75 to 78  Pumped  Poured  
 Gravel Pack [ > 0.2 in. ] \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Sand Pack [ < 0.2 in. ] 78 to 90  Pumped  Poured  
 Other, explain: \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured

PERFORATIONS:  
Type of perforation: Factory  
Size of perforation: 0.02  
From 80 Feet To 90 Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet

Date started: 5-Jan, 20 15  
Date completed: 7-Jan, 20 15

7. WATER QUALITIES  
Static water level: 82 Feet below land surface  
Artesian Flow: NA G.P.M. \_\_\_\_\_ P.S.I.  
Water Temperature: NA ° Fahrenheit  
Water Quality: Clear

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision. This report is true to the best of my knowledge.  
Name National EWP Contractor  
Address 5241 Schirls St. Las Vegas, NV 89118 Contractor

8. WELL TEST DATA			
Test Method:	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
<input checked="" type="checkbox"/> Bailor <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			

Nevada contractor's license number as issued by the State Contractor's Board: 0075355  
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller): 2512-LTD  
Signed: Bob [Signature]  
By driller performing actual drilling on site or contractor  
Date: 1/9/2015

36.07160  
- 115.99898  
NAD 27