

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S REPORT

OFFICE USE ONLY  
Log No. 122977  
Permit No. \_\_\_\_\_  
Basin No. 083

PRINT OR TYPE IN BLACK INK ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 71812  
WELL NAME (if applicable): \_\_\_\_\_

1. OWNER/CLIENT NAME Tahoe Reno Industrial  
MAILING ADDRESS 505 USA Parkway  
Sparks, NV 89434

DETAILED ADDRESS AT WELL LOCATION USA Parkway  
McCarran, NV  
Subdivision Name \_\_\_\_\_ County: Storey

2. PLS LOCATION SE 1/4 NW 1/4 20 Sec 19N N/S 23 E  
PERMIT/WAIVER NO. W-688 005-011-14  
Issued by Water Resources Permit Form 301

Latitude 39° 29' 56.512" UTM E  NAD 27  
Longitude 119° 25' 35.808" UTM N  NAD 83/WGS 84

3. WORKED PERFORMED  
 New Well  Deepen: Orig WL# \_\_\_\_\_  
 Replacement: Original well log # \_\_\_\_\_  
 Recondition: Original well log # \_\_\_\_\_

4. PROPOSED USE  
 Domestic  
 Mining / Dewater  
 Test / Other  
 Irrigation  
 Com / Ind  
 Mun / QM  
 Monitor  
 Stock  
 Rec

5. WELL TYPE  
 Auger  Rotary  RVC  
 Air  Mud  Sonic  
 Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To
Multi colored rock			0	503
(Dry hole)				
Poured 9 yards of concrete grout from 503' to surface to abandon bore				
T.D. 503'				

9. INSTRUCTION  
Depth Drilled: 503 Feet Depth Cased: 0 Feet  
HOLE DIAMETER (BIT SIZE)  
From 8 3/4 Inches To 0 Feet  
Inches Feet  
Inches Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

ANNULAR MATERIALS  
Sanitary Seal  Yes  No  
 Neat Cement \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Cement Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Concrete Grout 0 to 503  Pumped  Poured  
 Bentonite Chips \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Gravel Pack [ > 0.2 in. ] \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Sand Pack [ < 0.2 in. ] \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Other, explain: \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured

Date started 5-May : 20 15  
Date completed: 7-May : 20 15

7. WATER QUALITIES  
Static water level: 0 (dry) Feet below land surface  
Artesian Flow: \_\_\_\_\_ G.P.M. P.S.I.  
Water Temperature: N/A ° Fahrenheit  
Water Quality: N/A

8. WELL TEST DATA

Test Method:	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	<u>N/A</u>	<u>Dry</u>	

PERFORATIONS:  
Type of perforation: \_\_\_\_\_  
Size of perforation: \_\_\_\_\_  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision. This report is true to the best of my knowledge.  
Name A.S.A.P. Pump & Well Service, LLC Contractor  
Address P.O. Box 60130 Reno, Nevada 89506 Contractor  
Nevada contractor's license number as issued by the State Contractor's Board: 35387C  
Nevada well driller's license number as issued by the Nevada Division of Water Resources (for site drilling): \_\_\_\_\_  
Signed: Larry White  
Date 6/1/2015

RECEIVED  
STATE ENGINEERS DEPT  
2015 JUN -5 PM: 10  
35387C