STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 124383
Permit No.
Basin No. 207

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 73731
WELL NAME (*If applicable*): WCC-G13

1. OWNER/CLIENT NAME Robinson Nevada mining company
MAILING ADDRESS 4232West White Pine County Rd44
Ruth Nevada 89319

DETAILED ADDRESS AT WELL LOCATION
Robinson Mine Ruth NV
Subdivision Name: County: White Pine

2. PLS LOCATION NE ¼ SE ¼ 25 Sec 16N N/S 61 E
PERMIT/WAIVER NO. M/O-2041 *Issued by Water Resources* *Current Parcel No*

Latitude
Longitude
UTM E 668475
UTM N 4343100
☐ NAD 27 ■ NAD 83/WGS 84

3. WORKED PERFORMED
■ New Well ☐ Deepen: Orig WL#
☐ Replacement: Original well log #
☐ Recondition: Original well log #

4. PROPOSED USE
☐ Domestic ☐ Irrigation ■ Monitor
☐ Mining / Dewater ☐ Com / Ind ☐ Stock
☐ Test / Other ☐ Mun / QM ☐ Rec

5. WELL TYPE
☐ Auger ☐ Rotary ■ RVC
■ Air ☐ Mud ☐ Sonic
☐ Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To
Alluvium			0	640
Alluvium		X	640	700
Cave 700'-693'				

NAD 27
39.220914
115.047515

Date started: January 17, 20 16
Date completed: January 20, 20 16

7. WATER QUALITIES
Static water level: 597 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: 55 ° Fahrenheit
Water Quality: Good

8. WELL TEST DATA
Test Method: ☐ Bailer ☐ Pump ■ Air Lift

	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
2-3/8 pipe	4	6'	4

9. CONSTRUCTION
Depth Drilled: 700 Feet Depth Cased: 690 Feet

HOLE DIAMETER (BIT SIZE)

		From		To
14-5/8 Inches	0 Feet		18 Feet	
12-1/2 Inches	18 Feet		700 Feet	

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
14		0.250	18	+2
6-5/8		Sch80 PVC	690	+2

ANNULAR MATERIALS

Sanitary Seal ■ Yes ☐ No

■ Neat Cement	20 to 0	■ Pumped	☐ Poured
☐ Cement Grout	to	☐ Pumped	☐ Poured
☐ Concrete Grout	to	☐ Pumped	☐ Poured
■ Bentonite Chips	628 to 20	☐ Pumped	■ Poured
■ Gravel Pack [> 0.2 in.]	693 to 628	■ Pumped	☐ Poured
☐ Sand Pack [< 0.2 in.]	to	☐ Pumped	☐ Poured
■ Other, explain:	to	☐ Pumped	☐ Poured

PERFORATIONS:
Type of perforation: Mill Slot
Size of perforation: 0.125
From 680 Feet To 630 Feet
From Feet To Feet
From Feet To Feet
From Feet To Feet
From Feet To Feet

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Boart Longyear Company *Contractor*
Address PO Box 2748 Elko, NV. 89803 *Contractor*

Nevada contractor's license number as issued by the *State Contractor's Board:* 0021976
Nevada well driller's license number as issued by the *Nevada Division of Water Resources (on-site driller):* 2446
Signed: *By driller performing actual drilling on site or contractor*
Date: 01/21/16

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 12-13)

RECEIVED
FEB 01 2016
STATE ENGINEER'S OFFICE
ELKO OFFICE

RECEIVED
2015 FEB -4 AM 10: 55
STATE ENGINEERS OFFICE

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 124383
Permit No.
Basin No. 207

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 73731
WELL NAME (If applicable): WCC-G13

1. OWNER/CLIENT NAME Robinson Nevada mining company
MAILING ADDRESS 4232West White Pine County Rd44
Ruth Nevada 89319

DETAILED ADDRESS AT WELL LOCATION
Robinson Mine Ruth NV
Subdivision Name: County: White Pine

2. PLS LOCATION NE ¼ SE ¼ 25 Sec 16N N/S 61 E
PERMIT/WAIVER NO. M/O-2041
Issued by Water Resources Current Parcel No.

Latitude UTM E 668471 ☐ NAD 27
Longitude UTM N 4343097 ■ NAD 83/WGS 84

3. WORKED PERFORMED
■ New Well ☐ Deepen: Orig WL#
☐ Replacement: Original well log #
☐ Recondition: Original well log #

4. PROPOSED USE
☐ Domestic ☐ Irrigation ■ Monitor
☐ Mining / Dewater ☐ Com / Ind ☐ Stock
☐ Test / Other ☐ Mun / QM ☐ Rec

5. WELL TYPE
☐ Auger ☐ Rotary ■ RVC
■ Air ☐ Mud ☐ Sonic
☐ Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ.	Water Strata	From	To
Alluvium			0	640
Alluvium		X	640	700
Cave 700'-693'				

NAD 27
39.220888
115.047562

Date started: January 17, 20 16
Date completed: January 20, 20 16

7. WATER QUALITIES
Static water level: 597 Feet below land surface
Artesian Flow: G.P.M. P.S.I.
Water Temperature: 55 ° Fahrenheit
Water Quality: Good

8. WELL TEST DATA
Test Method: ☐ Bailer ☐ Pump ■ Air Lift

	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
2-3/8 pipe	4	6'	4

9. INSTRUCTION
Depth Drilled: 700 Feet Depth Cased: 690 Feet

HOLE DIAMETER (BIT SIZE)

		From		To	
14-5/8	Inches	0	Feet	18	Feet
12-1/2	Inches	18	Feet	700	Feet
	Inches		Feet		Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
14		0.250	18	+2
6-5/8		Sch80 PVC	690	+2

ANNULAR MATERIALS
Sanitary Seal ■ Yes ☐ No

■ Neat Cement	20	to 0	■ Pumped	☐ Poured
☐ Cement Grout		to	☐ Pumped	☐ Poured
☐ Concrete Grout		to	☐ Pumped	☐ Poured
■ Bentonite Chips	628	to 20	☐ Pumped	■ Poured
■ Gravel Pack (> 0.2 in.)	693	to 628	■ Pumped	☐ Poured
☐ Sand Pack (< 0.2 in.)		to	☐ Pumped	☐ Poured
■ Other, explain:		to	☐ Pumped	☐ Poured

PERFORATIONS:
Type of perforation: Mill Slot
Size of perforation: 0.125

From 680	Feet	To 630	Feet
From	Feet	To	Feet
From	Feet	To	Feet
From	Feet	To	Feet
From	Feet	To	Feet

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Boart Longyear Company (Contractor)
Address PO Box 2748 Elko, NV. 89803 (Contractor)

Nevada contractor's license number as issued by the State Contractor's Board: 0021976
Nevada well driller's license number as issued by the Nevada Divison of Water Resources (on-site driller): 2446

Signed: (By driller performing actual drilling on site or contractor)
Date: 01/21/16

RECEIVED 2016 FEB 25 AM 11:22 STATE ENGINEERS OFFICE

(Rev. 12-13) USE ADDITIONAL SHEETS IF NECESSARY pg. 2 of pg. 2

RECEIVED
FEB 17 2016
STATE ENGINEER'S OFFICE
ELKO OFFICE