

1 of 4

**OFFICE USE ONLY**

Log No. 14763  
Permit No. 28816  
Basin Quinn Riv

**WELL DRILLERS REPORT**

Please complete this form in its entirety

1. OWNER Brickie - Curtis ADDRESS Star Rk Box 13, Nevada  
Nevada 89425

2. LOCATION SE 1/4 SW 1/4 Sec. 7 T. 45N N/S R38 E Humboldt County  
PERMIT NO. 28216

3. TYPE OF WORK New Well <input checked="" type="checkbox"/> Recondition <input type="checkbox"/> Deepen <input type="checkbox"/> Other <input type="checkbox"/>	4. PROPOSED USE Domestic <input type="checkbox"/> Irrigation <input checked="" type="checkbox"/> Test <input type="checkbox"/> Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/>	5. TYPE WELL Cable <input type="checkbox"/> Rotary <input checked="" type="checkbox"/> Other <input type="checkbox"/> Reverse <input type="checkbox"/>
--	--	--

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Top soil		0	3	
Large gravel		3	7	
gravel & some clay		7	22	
clay		22	24	
small gravel/sand		24	32	
gravel & clay		32	34	
gravel		34	36	
clay & gravel		36	37	
gravel & sand		37	44	
hard clay & gravel		44	55	
brn clay		55	57	
med gravel/clay		57	58	
gravel		58	60	
brn clay/gravel		60	66	
sand/gravel		66	69	
brn clay		69	72	
sand/gravel		72	74	
brn clay/gravel		74	76	
gravel		76	82	
gravel /hard clay		82	83	
soft clay/gravel		83	85	
sand/gravel		85	93	
gravel/clay		93	94	
sand/gravel		94	101	
brn clay/gravel		101	108	
med sand/gravel		108	110	
brn clay/gravel		110	116	
brn chunky clay		116	121	

Date started..... 19.....  
Date completed..... 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M.....	Draw down.....feet	.....hours
G.P.M.....	Draw down.....feet	.....hours
G.P.M.....	Draw down.....feet	.....hours

8. WELL CONSTRUCTION

Diameter hole 28 inches Total depth 524 feet  
Casing record.....  
Weight per foot..... Thickness.....

Diameter	From	To
16 inches	+ 2 feet	148 feet
16 inches	188 feet	202 feet
16 inches	207 feet	213 feet
16 inches	223 feet	272 feet
16 inches	312 feet	362 feet
16 inches	372 feet	410 feet

Surface seal: Yes  No  Type..... feet  
Depth of seal..... feet  
Gravel packed: Yes  No   
Gravel packed from..... feet to..... feet

Perforations:  
Type perforation Johnson Irrigator  
Size perforation 100 slot  
From 148 feet to 188 feet  
From 202 feet to 207 feet  
From 213 feet to 223 feet  
From 272 feet to 312 feet  
From 362 feet to 372 feet

9. WATER LEVEL

Static water level..... Feet below land surface.....  
Flow..... G.P.M.....  
Water temperature..... ° F. Quality.....

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name L.B.J. DRILLING CO.  
Address Winnemucca, Nevada  
Nevada contractor's license number.....  
Nevada driller's license number.....  
Signed.....  
Date.....

Log No. 14767  
Permit No. 2886  
Basin Quinn River

**WELL DRILLERS REPORT**

Please complete this form in its entirety

1. OWNER Brockey Curtis ADDRESS Star Pte Box 3, Orland  
2. LOCATION Sec 1/4 SW 1/4 Sec 11 T 45N N/S R 38 E Humboldt County  
PERMIT NO. \_\_\_\_\_

3. TYPE OF WORK  
New Well  Recondition   
Deepen  Other

4. PROPOSED USE  
Domestic  Irrigation  Test   
Municipal  Industrial  Stock

5. TYPE WELL  
Cable  Rotary   
Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
pea gravel/sand		121	126	
brn clay/gravel		126	127	
brn chunky clay		127	132	
med sand/gravel		132	137	
med sand/clay streaks		137	144	
gravel & clay		144	149	
sand/conglomerate/gravel		149	150	
med sand/gravel		150	152	
brn clay		152	154	
sand/pea gravel/clay		154	156	
sand/pea gravel		156	159	
brn clay/gravel		159	162	
gravel/small rocks		162	169	
brn clay/gravel		169	176	
gravel/rocks		176	181	
brn clay		181	183	
gravel/rocks		183	188	
clay/gravel		188	197	
hard clay		197	202	
pea gravel/course sand		202	208	
brn clay/gravel		208	213	
sand/gravel/rocks		213	230	
lite brn clay		230	235	
sand/gravel		235	247	
hard clay		247	248	
gravel		248	249	
sand/gravel		249	252	

8. WELL CONSTRUCTION

Diameter hole.....inches Total depth.....feet  
Casing record.....  
Weight per foot.....Thickness.....

Diameter	From	To
16 inches	415 feet	420 feet
16 inches	430 feet	476 feet
16 inches	486 feet	492 feet
16 inches	502 feet	507 feet
.....inches	.....feet	.....feet
.....inches	.....feet	.....feet

Surface seal: Yes  No  Type.....feet  
Depth of seal.....feet  
Gravel packed: Yes  No   
Gravel packed from.....feet to.....feet

Perforations:  
Type perforation.....  
Size perforation.....  
From.....410.....feet to.....415.....feet  
From.....420.....feet to.....430.....feet  
From.....476.....feet to.....486.....feet  
From.....492.....feet to.....502.....feet  
From.....feet to.....feet

Date started....., 19.....  
Date completed....., 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M..... Draw down.....feet .....hours  
G.P.M..... Draw down.....feet .....hours  
G.P.M..... Draw down.....feet .....hours

9. WATER LEVEL

Static water level.....Feet below land surface.....  
Flow.....G.P.M.....  
Water temperature.....° F. Quality.....

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name.....  
Address.....  
Nevada contractor's license number.....  
Nevada driller's license number.....  
Signed.....  
Date.....

Log No. 19767  
 Permit No. 28816  
 Basin Quinn River

**WELL DRILLERS REPORT**

Please complete this form in its entirety

1. OWNER Briakey - Corlis ADDRESS Star Rte Box 19, Orland  
Nevada

2. LOCATION SE 1/4 SW 1/4 Sec. 7 T. 45N N/S R. 3E E. Humboldt County  
 PERMIT NO. \_\_\_\_\_

3.	TYPE OF WORK		4.	PROPOSED USE			5.	TYPE WELL	
	New Well <input type="checkbox"/>	Recondition <input type="checkbox"/>		Domestic <input type="checkbox"/>	Irrigation <input type="checkbox"/>	Test <input type="checkbox"/>		Cable <input type="checkbox"/>	Rotary <input type="checkbox"/>
	Deepen <input type="checkbox"/>	Other <input type="checkbox"/>	Municipal <input type="checkbox"/>	Industrial <input type="checkbox"/>	Stock <input type="checkbox"/>	Other <input type="checkbox"/>			

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
brn clay/gravel		252	253	
gravel/sand		253	254	
brn clay/gravel		254	258	
gravel/rock		258	263	
yellow clay/sand		263	264	
brn clay/gravel		264	274	
sand/gravel		274	294	
brn clay/gravel/sand		294	307	
yellow clay/sand		307	309	
gravel/sand		309	312	
brn clay/gravel		312	317	
clay & sand		317	324	
sand/gravel		324	329	
clay/sand		329	335	
sand/gravel		335	338	
brn clay		338	361	
gravel/course sand		361	365	
clay/sand/gravel		365	371	
sand/gravel		371	372	
brn clay		372	379 <sup>h</sup>	
course sand/gravel		379	389	
brn clay/sand		381	384	
sand/gravel		384	389	
brn chunky clay		389	394	
brn clay/gravel		394	401	
brn clay/sand		401	404	
course sanders and/gravel		404	414	

8. WELL CONSTRUCTION

Diameter hole.....inches Total depth.....feet  
 Casing record.....  
 Weight per foot.....Thickness.....

Diameter	From	To
.....inches	.....feet	.....feet

Surface seal: Yes  No  Type.....feet  
 Depth of seal.....feet  
 Gravel packed: Yes  No   
 Gravel packed from.....feet to.....feet

Perforations:  
 Type perforation.....  
 Size perforation.....  
 From.....feet to.....feet  
 From.....feet to.....feet  
 From.....feet to.....feet  
 From.....feet to.....feet  
 From.....feet to.....feet

9. WATER LEVEL

Static water level.....Feet below land surface.....  
 Flow.....G.P.M.....  
 Water temperature.....° F. Quality.....

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name.....  
 Address.....  
 Nevada contractor's license number.....  
 Nevada driller's license number.....  
 Signed.....  
 Date.....

Date started....., 19.....  
 Date completed....., 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M.....	Draw down.....feet	.....hours
G.P.M.....	Draw down.....feet	.....hours
G.P.M.....	Draw down.....feet	.....hours

Log No. 14764  
Permit No. 28816  
Basin Quinn River

WELL DRILLERS REPORT

Please complete this form in its entirety

1. OWNER Brickey - Curtis ADDRESS Star Pt. Box 13, Orovada  
Nevada, 89425

2. LOCATION SE 1/4 SW 1/4 Sec. 7 T. 45 N. N/S R. 38 E Humboldt County  
PERMIT NO. 28816

3. TYPE OF WORK	4. PROPOSED USE	5. TYPE WELL
New Well <input type="checkbox"/>	Domestic <input type="checkbox"/>	Cable <input type="checkbox"/>
Recondition <input type="checkbox"/>	Irrigation <input type="checkbox"/>	Rotary <input type="checkbox"/>
Deepen <input type="checkbox"/>	Municipal <input type="checkbox"/>	Other <input type="checkbox"/>
	Industrial <input type="checkbox"/>	
	Stock <input type="checkbox"/>	

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
sand stone		414	416	
brn clay		416	419	
brn sand/small gravel		419	432	
brown clay		432	440	
sand/gravel		440	442	
gravel		442	444	
sand/gravel		444	454	
sand stone		454	460	
sand stone/gravel		460	462	
sand/gravel		462	463	
brn clay/gravel		463	469	
sand stone		469	472	
brn clay/sand		472	474	
brn sand/gravel		474	486	
brn clay/gravel		486	492	
brn sand/gravel		492	499	
brn clay/gravel		499	507	
brn clay		507	510	
brn clay & sand		510	524	

8. WELL CONSTRUCTION

Diameter hole.....inches Total depth.....feet

Casing record.....

Weight per foot..... Thickness.....

Diameter	From	To
.....inches	.....feet	.....feet

Surface seal: Yes  No  Type.....

Depth of seal.....feet

Gravel packed: Yes  No

Gravel packed from.....feet to.....feet

Perforations:

Type perforation.....

Size perforation.....

From.....feet to.....feet

From.....feet to.....feet

From.....feet to.....feet

From.....feet to.....feet

From.....feet to.....feet

Date started May 14 1975

Date completed May 22 1975

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M. .... Draw down.....feet .....hours

G.P.M. .... Draw down.....feet .....hours

G.P.M. .... Draw down.....feet .....hours

9. WATER LEVEL

Static water level.....Feet below land surface 11.5

Flow.....None.....G.P.M.

Water temperature 65 ° F. Quality.....Good

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name L. B. D. Drilling & Pump Co.

Address P.O. Box 90 & Warriner

Nevada contractor's license number 8906

Nevada driller's license number 637

Signed Joe Boggs Jr

Date May 27 1975